

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b>1012/1028</b>			
<b>SETTINGS - 4 CLAWS</b>			
	PP 17	K 1/1	B
	PP 23 / SS 11	K 1/2	B
	PP 27 / SS 13	K 1/4	B+L AK 1/4 / L
	PP 29 / SS 14/15	K 1/6	B+L AK 1/6 / L
	PP 32/33 / SS 17	K 1/7	B+L AK 1/7 / L
	SS 18/19	K 1/9	B+L AK 1/9 / L
	SS 21	K 1/21	B
	SS 22	K 1/22	B+L AK 1/22 / L
	SS 24/25	K 1/11	B+L AK 1/11 / L
	SS 29/30 / 6 mm	K 1/13	B+L AK 1/13 / L
	SS 29/30 / 6 mm		AK 1/51 / L
	SS 31	K 1/53	B+L AK 1/53 / L
	SS 34 / 7 mm	K 1/14	B+L AK 1/14 / L
	SS 39	K 1/15	B+L AK 1/15 / L
	SS 45 / 10 mm	K 1/16	B+L AK 1/16 / L
	SS 47 and SS 48	K 1/17	B+L AK 1/17 / L
			length of claws ca. 2,7mm
	SS47/48	K 1/70	B length of claws ca. 3,2mm
	SS 50	K 1/18	B+L AK 1/18 / L
	SS 59	K 1/20	B+L AK 1/20 / L
<b>1012/1028</b>			
<b>SEW-ON settings for rubber straps and other</b>			
	SS 39	B+L AK 1/15/2 mm	4 holes - 2 holes each side
	SS 50	B+L AK 1/18/2 mm	4 holes - 2 holes each side
	SS 59	B+L AK 1/20/2 mm	4 holes - 2 holes each side
<b>1012/1028</b>			
<b>SETTINGS - 6 CLAWS</b>			
	SS 29/30 / 6 mm	K 25/1	B+L
	SS 34 / 7 mm	K 25/2	B+L AK 25/2 / L
	SS 39	K 25/3	B+L AK 25/3 / L
<b>1012/1028</b>			
<b>SETTINGS FRENCH</b>			
	SS 12	K 40/1	B+L
	SS 13 max. SS 15	K 40/2	B+L
	SS 18 max. SS 20	K 40/3	B+L
	SS 23 max. SS 25	K 40/4	B+L
	SS 28 max. SS 30	K 40/5	B+L AK 40/5 / L
	SS 33 max. SS 35	K 40/6	B+L
	SS 38 max. SS 40	K 40/8	B+L
	SS 43 max. SS 45	K 40/9	B+L AK 40/9 / L
	SS 46 max. SS 48	K 40/10	B+L AK 40/10 / L
	SS 57 max. SS 60	K 40/12	B+L AK 40/12 / L
	ca. 16 mm	K 40/13	B+L
	ca. 18 mm	K 40/14	B+L

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	<b>/ 1 for Bracelet</b>	<b>/ 3 for Necklace</b>	<b>/ 2 horizontal</b>
<b><u>SWAROVSKI</u></b>		<b><u>SETTINGS</u></b>	<b><u>SEW-ON</u></b>
<b><u>ARTICLE NO.</u></b>	<b><u>SIZE</u></b>	<b>K /</b>	<b>AK /</b>
<b><u>1012/1028</u></b>		<b><u>SETTINGS - 4 CLAWS</u></b>	<b><u>with ring</u></b>
	SS 20	K 70/1	B with 1 ring
	SS 30	K 70/2	B with 1 ring
	SS 29/30 / 6 mm	K 70/107	B+L with 1 ring
	SS 29/30 / 6 mm	K 70/108	B+L with 2 rings
	SS 39	K 70/111	B+L with 1 ring
	SS 39	K 70/112	B+L with 2 rings

1012/1028



SS 14/15	BL 01120/302 BL 0465/302	settings linked through the middle for sew-on
SS 18/19	BL 01270/301 BL 01121/301 BL 0464/301 BL 01890/301 BL 01197/301	
SS 24/25	BL 0489/303 BL 01196/303 BL 01122/303 BL 01891/303 BL 01232/303 BL 01267/303	<b>FLOWER IS BACK</b>
SS 29/30	BL 0489/300 BL 01196/300 BL 01891/300 BL 01232/300 BL 01267/300	

1012/1028



<b>STAMPINGS - FRAMES FOR GLUING</b>		
SS 29	P 07937	without ring
SS 29	P 07938	with 1 ring
SS 29	P 07939	with 2 rings
SS 39	P 07490/SS39	without ring
SS 39	P 07858/SS39	with 1 ring
SS 39	P 07869/SS39	with 2 rings
SS 47	P 07490/SS47	without ring
SS 60	P 07490/SS60	without ring
SS 60	P 8008	with 1 ring
SS 60	P 08009	with 2 rings

1012/1028



<b><u>STAMPINGS FOR GLUING</u></b>	
SS18/19	P 07031
SS18/19	P 07032
SS24/25	P 07033
SS24/25	P 07034
SS29	P 07035
SS29	P 07036
SS47	P 07464
SS47	P 07465

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS** closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b>1012/1028</b>		<b>CUP-CHAINS - 4 CLAWS</b>	<b>minimum</b>



SS 18/19	KS 301/1/140	<u>10 m</u>	Standard	approx. 140 settings p. m.
SS 24/25	KS 303/136 /1+/3	<u>10 m</u>	Standard	approx. 136 settings p. m.
SS 29/30 / 6mm	KS 300/117 /1+/3	<u>10 m</u>	Standard	approx. 117 settings p. m.
SS 29/30 / 6mm	KS 300/78 /1+/3		min. 25 meter	approx. 78 settings p. m.
SS 29/30 / 6mm	KS 300/69 /1+/3		min. 25 meter	approx. 69 settings p. m.
SS 29/30 / 6mm	KS 300/60 /1+/3		min. 25 meter	approx. 60 settings p. m.
SS 29/30 / 6mm	KS 300/48 /1+/3		min. 25 meter	approx. 48 settings p. m.
SS 29/30 / 6mm	KS 300/44 /1+/3		min. 25 meter	approx. 40 settings p. m.
SS 34	KS 330/117 /1+/3	<u>10 m</u>	Standard	approx. 117 settings p. m.
SS 39	KS 331/102 /1+/3	<u>10 m</u>	Standard	approx. 102 settings p. m.
SS 45 / 10mm	KS 332/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
SS 47 and SS 48	KS 339/75 /1+/3	<u>10 m</u>	Standard	approx. 75 settings p. m.
			<b>length of claws ca. 2,7mm</b>	
SS 47/48	KS 1017/75 /1+/3	<u>10 m</u>	Standard	approx. 75 settings p. m.
			<b>length of claws ca. 3,2mm</b>	
SS 50	KS 333/74 /1+/3	<u>10 m</u>	Standard	approx. 74 settings p. m.
SS 59	KS 794/66 /1+/3	<u>10 m</u>	Standard	approx. 66 settings p. m.

<b>1012/1028</b>	<b>CUP-CHAINS - 6 CLAWS</b>	<b>minimum</b>
------------------	-----------------------------	----------------



SS29/30 / 6 mm	KS 386/115 /1+/3	<u>10 m</u>	Standard	approx. 115 settings p. m.
----------------	------------------	-------------	----------	----------------------------

<b>1012/1028</b>	<b>CUP-CHAINS - FRENCH</b>	<b>minimum</b>
------------------	----------------------------	----------------



SS 28 max. SS 30	KS 606/115 /1+/3	<u>10 m</u>	Standard	approx. 115 settings p. m.
------------------	------------------	-------------	----------	----------------------------

<b>1012/1028</b>	<b>SETTINGS WITH 1 MOVABLE RIVETED LOOP</b>
------------------	---



SS 29/30 / 6mm	KBK 1/13/1	B
SS 39	KBK 1/15/1	B
SS 47 and SS 48	KBK 1/17/1	B

<b>1012/1028</b>	<b>SETTINGS WITH 2 MOVABLE RIVETED LOOPS</b>
------------------	--



SS 29/30 / 6mm	KBK 1/13/2	B
SS 39	KBK 1/15/2	B
SS 47 and SS 48	KBK 1/17/2	B

**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS** closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

**SETTINGS FOR SOLDERING**    K / B closed back    K / L open back

**SETTINGS for SEW-ON**    AK / L open back

**CUP-CHAINS / 1 for Bracelet**    / 3 for Necklace    / 2 horizontal

**SWAROVSKI SETTINGS**    **SEW-ON**

**ARTICLE NO.**    **SIZE**    **K /**    **AK /**

### **1012/1028 SETTINGS WITH SPECIAL STAMPED LOOP**



**/1 with one movable riveted loop**

SS 47 and SS 48    KBL 1/17/1    B

### **1012/1028 SETTINGS WITH SPECIAL STAMPED LOOP**



**/2 with two movable riveted loop**

SS 47 and SS 48    KBL 1/17/2    B

### **1012/1028 EAR-POST TITANIUM fusion weld**

**+ setting with scroll loose**



SS 29/30 / 6mm    M 16388/1/13

SS 39    M 16388/1/15

SS 47 and SS 48    M 16388/1/17

### **1012/1028 EAR-POST TITANIUM fusion weld**

**+ setting with movable ring riveted**



SS 29/30 / 6mm    M 16400/1/13

SS 39    M 16400/1/15

### **1012/1028 SETTINGS with 2 prongs on bottom**



SS 60    KSPS 1/18    length of prongs 7 mm

KSPL =    bigger settings: length of prongs: 10 mm

### **1012/1028 BUTTON**



SS 29/30 / 6mm    KNK 1/13

SS 47 and SS 48    KNK 1/17

### **1012/1028 SETTINGS with rectangular slit 0,8x1,3mm in the wall**



SS 29/30 / 6mm    K 300/1 + /3

SS 39    K 331/1 + /3

SS 47 and SS 48    K 339/1 + /3

Slit = 0,8 x 1,3 mm

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B</b> closed back	<b>K / L</b> open back
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L</b> open back	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>

**1088****XIRIUS Chaton****SETTINGS - 4 CLAWS**

PP 17	K 1/1	B	
PP 23	K 1/2	B	
PP 27	K 1/4	B+L	AK 1/4 / L 4 holes - 1 hole each side
PP 29	K 1/6	B+L	AK 1/6 / L 4 holes - 1 hole each side
PP 32	K 1/7	B+L	AK 1/7 / L 4 holes - 1 hole each side
SS 18/19	K 1/9	B+L	AK 1/9 / L 4 holes - 1 hole each side
SS 21	K 1/21	B	
SS 22	K 1/22	B+L	AK 1/22 / L 4 holes - 1 hole each side
SS 24	K 1/11	B+L	AK 1/11 / L 4 holes - 1 hole each side
SS 29/30	K 1/13	B+L	AK 1/13 / L 4 holes - 1 hole each side
SS 29/30			AK 1/51 / L 4 holes - 2 holes each side
SS 34	K 1/14	B+L	AK 1/14 / L 4 holes - 2 holes each side
SS 39	K 1/15	B+L	AK 1/15 / L 4 holes - 2 holes each side
SS 45	K 1/16	B+L	AK 1/16 / L 4 holes - 2 holes each side
SS 48	K 1/17	B+L	AK 1/17 / L 4 holes - 2 holes each side
length of claws ca. 2,7mm			
SS 48	K 1/70	B+L	AK 1/17 / L 4 holes - 2 holes each side
length of claws ca. 3,2mm			
SS 50	K 1/18	B+L	AK 1/18 / L 4 holes - 2 holes each side

**1088****SEW-ON settings for rubber straps and other**

SS 39	B+L	AK 1/15/2 mm	4 holes - 2 holes each side
SS 50	B+L	AK 1/18/2 mm	4 holes - 2 holes each side

**1088****SETTINGS - 6 CLAWS**

SS 29	K 25/1	B+L	
SS 34	K 25/2	B+L	AK 25/2 / L 4 holes - 2 holes each side
SS 39	K 25/3	B+L	AK 25/3 / L 4 holes - 2 holes each side

**1088****SETTINGS      FRENCH**

PP27 max. PP29	K 40/2	B+L	
SS 18/19	K 40/3	B+L	
SS 24	K 40/4	B+L	
SS 29	K 40/5	B+L	AK 40/5 / L 4 holes - 1 hole each side
SS 34	K 40/6	B+L	
SS 39	K 40/8	B+L	
SS 45	K 40/9	B+L	AK 40/9 / L 4 holes - 2 holes each side
SS 48	K 40/10	B+L	AK 40/10 / L 4 holes - 2 holes each side

**1088****SETTINGS - 4 CLAWS****with ring**

SS 29	K 70/107	B+L	with 1 ring
SS 29	K 70/108	B+L	with 2 rings
SS 39	K 70/111	B+L	with 1 ring
SS 39	K 70/112	B+L	with 2 rings

**K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..****AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.**

List of SWAROVSKI-Number and corresponding JOSEF BERGS references  
23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	<b>/ 1 for Bracelet</b>	<b>/ 3 for Necklace</b>	<b>/ 2 horizontal</b>
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>

## **1088**

### **SETTINGS WITH FLOWER STAMPINGS**

**settings linked through the middle for sew-on**



PP 29                    BL 01120/302



SS 18/19                BL 0465/302



BL 01270/301



BL 01121/301



BL 0464/301



BL 01890/301



BL 01197/301

**FLOWER IS BACK**

SS 24                    BL 0489/303

BL 01196/303

BL 01122/303

BL 01891/303

BL 01232/303

BL 01267/303

SS 29                    BL 0489/300

BL 01196/300

BL 01891/300

BL 01232/300

BL 01267/300

## **1088**

### **STAMPINGS - FRAMES FOR GLUING**



SS 29                    P 07937                without ring



SS 29                    P 07938                with 1 ring



SS 29                    P 07939                with 2 rings



SS 39                    P 07490/SS39        without ring



SS 39                    P 07868/SS39        with 1 ring



SS 39                    P 07859/SS39        with 2 rings

## **1088**

### **STAMPINGS FOR GLUING**



SS 19                    P 07031                without ring



SS 19                    P 07032                with 1 ring



SS 24                    P 07033                without ring



SS 24                    P 07034                with 1 ring

## **1088**

### **CUP-CHAINS - 4 CLAWS**                minimum



SS 18/19	KS 301/1/140	10 m	Standard	approx. 140 settings p. m.
SS 24	KS 303/136 /1+/3	10 m	Standard	approx. 136 settings p. m.
SS 29/30	KS 300/117 /1+/3	10 m	Standard	approx. 117 settings p. m.
SS 29/30	KS 300/78 /1+/3		min. 25 meter	approx. 78 settings p. m.
SS 29/30	KS 300/69 /1+/3		min. 25 meter	approx. 69 settings p. m.
SS 29/30	KS 300/60 /1+/3		min. 25 meter	approx. 60 settings p. m.
SS 29/30	KS 300/48 /1+/3		min. 25 meter	approx. 48 settings p. m.
SS 29/30	KS 300/44 /1+/3		min. 25 meter	approx. 40 settings p. m.

**K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..**

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.**

List of SWAROVSKI-Number and corresponding JOSEF BERGS references  
23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>	
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>		
<b>CUP-CHAINS</b>	<b>/ 1 for Bracelet</b>	<b>/ 3 for Necklace</b>	<b>/ 2 horizontal</b>	
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>	
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>	
<b><u>1088</u></b>		<b>CUP-CHAINS - 4 CLAWS</b>	<b>minimum</b>	
	SS 34	KS 330/117 /1+/3	<u>10 m</u> Standard approx. 117 settings p. m.	
	SS 39	KS 331/102 /1+/3	<u>10 m</u> Standard approx. 102 settings p. m.	
	SS 45	KS 332/84 /1+/3	<u>10 m</u> Standard approx. 84 settings p. m.	
	SS 48	KS 339/76 /1+/3	<u>10 m</u> Standard approx. 76 settings p. m.	
	length of claws ca. 2,7mm			
	SS 48	KS 1017/75 /1+/3	<u>10 m</u> Standard approx. 76 settings p. m.	
	length of claws ca. 3,2mm			
	SS 60	KS 333/74 /1+/3	<u>10 m</u> Standard approx. 74 settings p. m.	
<b><u>1088</u></b>		<b>CUP-CHAINS - 6 CLAWS</b>	<b>minimum</b>	
	SS 29	KS 386/115 /1+/3	<u>10 m</u> Standard approx. 115 settings p. m.	
<b><u>1088</u></b>		<b>CUP-CHAINS - FRENCH</b>	<b>minimum</b>	
	SS 29	KS 606/115 /1+/3	<u>10 m</u> Standard approx. 115 settings p. m.	
<b><u>1088</u></b>		<b>SETTINGS WITH 1 MOVABLE RIVETED LOOP</b>		
		SS 29/30	KBK 1/13/1 B	
		SS 39	KBK 1/15/1 B	
		SS 48	KBK 1/17/1 B	
<b><u>1088</u></b>		<b>SETTINGS WITH 2 MOVABLE RIVETED LOOPS</b>		
		SS 29/30	KBK 1/13/2 B	
		SS 39	KBK 1/15/2 B	
		SS 48	KBK 1/17/2 B	
<b><u>1088</u></b>		<b>SETTINGS WITH SPECIAL STAMPED LOOP</b>		
		<u>/1 with one movable riveted loop</u>		
		SS 48	KBL 1/17/1 B	
<b><u>1088</u></b>		<b>SETTINGS WITH SPECIAL STAMPED LOOP</b>		
		<u>/2 with two movable riveted loop</u>		
		SS 48	KBL 1/17/2 B	

**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B** requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	<b>/ 1 for Bracelet</b>	<b>/ 3 for Necklace</b>	<b>/ 2 horizontal</b>

<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>

### 1088      EAR-POST TITANIUM fusion weld

+ setting with scroll loose



SS 29/30	M 15388/1/13
SS 39	M 15388/1/15
SS 48	M 15388/1/17

### 1088      EAR-POST TITANIUM fusion weld

+ setting with movable ring riveted



SS 29/30	M 15400/1/13
SS 39	M 15400/1/15

### 1088      BUTTON



SS 29/30	KNK 1/13
SS 48	KNK 1/17

### 1088      SETTINGS with rectangular slit 0,8x1,3mm in the wall



SS 29/30	K 300/1 + /3
SS 39	K 331/1 + /3
SS 48	K 339/1 + /3

### 1122



#### SETTINGS - 4 CLAWS

SS 37 + 8 mm	K 2/6
SS 39 ** NEW **	K 2/24
SS 45 + 10 mm	K 2/7
SS 47 + 11 mm	K 2/1
SS 50 + 12 mm	K 2/8
SS 58 + 14 mm	K 2/2
SS 65 + 16 mm	K 2/9
SS 75 + 18mm	K 2/10

#### SEW-ON

B+L AK 2/6 / L	4 holes - 2 holes each side
B+L AK 2/24 / L	4 holes - 2 holes each side
B+L AK 2/7 / L	4 holes - 2 holes each side
B+L AK 2/1 / L	4 holes - 2 holes each side
B+L AK 2/8 / L	4 holes - 2 holes each side
B+L AK 2/2 / L	4 holes - 2 holes each side
B+L AK 2/9 / L	4 holes - 2 holes each side
B+L AK 2/10 / L	4 holes - 2 holes each side

### 1122



#### SETTINGS - 4 CLAWS

20 mm - hight of wall	
6,6mm	K 2/13
20 mm - hight of wall	
4,6mm NEW	K 2/23
25 mm	K 2/11

#### SEW-ON

B+L AK 2/13 / L	4 holes - 2 holes each side
B+L AK 2/23 / L	4 holes - 2 holes each side
B+L AK 2/11 / L	4 holes - 2 holes each side

### 1122



#### SETTINGS

8 mm	K 80/30	B
10 mm	K 80/31	B
11 mm	K 80/39	B
12 mm	K 80/32	B
14 mm	K 80/33	B
16 mm	K 80/67	B
18 mm	K 80/68	B

#### MILLGRAIN

**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B** requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.


<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>

**1122****STAMPINGS - FRAMES FOR GLUING**

SS 39	P 07620/SS39	without ring	
SS 39	P 08004	with 1 ring	
SS 39	P 08005	with 2 rings	
SS 47	P 07620/SS47	without ring	
SS 47	P 07675	with 1 ring	plain
SS 47	P 07860	with 1 ring	grained
SS 47	P 07676	with 2 rings	plain
SS 47	P 07861	with 2 rings	grained
SS 60	P 07620/SS60	without ring	
SS 60	P 08006	with 1 ring	
SS 60	P 08007	with 2 rings	
18 mm	P 07998	without ring	
18 mm	P 07999	with 1 ring	
18 mm	P 08000	with 2 rings	

**1122****CUP-CHAINS - 4 CLAWS**

SS 45 + 10 mm	KS 1000/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
SS 50 + 12 mm	KS 1001/74 /1+/3	<u>10 m</u>	Standard	approx. 74 settings p. m.
SS 58 + 14 mm	KS 793/66 /1+/3	<u>10 m</u>	Standard	approx. 66 settings p. m.
20mm	KS 1009/43 /1+/3	<u>25 m</u>	Standard	approx. 43 settings p. m.

**1200****SETTINGS - 4 CLAWS**


SS 47 + 11 mm	K 2/1	B+L	AK 2/1 L	4 holes - 2 holes each side
SS 59 HIGH WALL	K 1/20	B+L	AK 1/20 / L	4 holes - 2 holes each side

**1200****CUP-CHAINS - 4 CLAWS**

SS 59 HIGH WALL	KS 794/66 /1+/3	<u>10 m</u>	Standard	approx. 66 settings p. m.
-----------------	-----------------	-------------	----------	---------------------------

**1201****SETTINGS - 4 CLAWS**

27 mm	K 2/16	B+L	AK 2/16 / L	4 holes - 2 holes each side
35 mm	K 2/40	B+L	AK 2/40 / L	4 holes - 2 holes each side

**1201****OPEN FRAMES - 4 CLAWS**

27 mm	K 2/5	L	open back
-------	-------	---	-----------




**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS** closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>

**1201****STAMPINGS - FRAMES FOR GLUING**


27 mm	P 07908	without ring
27 mm	P 07909	with 1 ring
27 mm	P 07910	with 2 rings
35 mm	P 07987	without ring
35 mm	P 07988	with 1 ring
35 mm	P 07989	with 2 rings

**1300/1357****SETTINGS - 4 CLAWS**

SS 17	K 1/7
SS 29	K 1/13
SS 29	
SS 39	K 1/15
SS 45	K 1/16

**SEW-ON**


B+L	AK 1/7 / L	4 holes - 1 hole each side
B+L	AK 1/13 / L	4 holes - 1 hole each side
	AK 1/51 / L	4 holes - 2 holes each side
B+L	AK 1/15 / L	4 holes - 2 holes each side
B+L	AK 1/16 / L	4 holes - 2 holes each side

**2006****SETTINGS - 4 CLAWS**

10 mm	K 2/7
12 mm	K 2/8
14 mm	K 2/2
16 mm	K 2/9

**SEW-ON**

B+L	AK 2/7	4 holes - 2 holes each side
B+L	AK 2/8	4 holes - 2 holes each side
B+L	AK 2/2	4 holes - 2 holes each side
B+L	AK 2/9	4 holes - 2 holes each side

**2000/2006****SETTINGS**

10 mm millgrain	K 80/8	<b>MILLGRAIN</b>	<b>PLAIN</b>
10 mm plain		B	K 80/58
12 mm millgrain	K 80/10	B	
12 mm plain		B	K 80/59

**2000/2006****SETTINGS**

14 mm millgrain	K 80/13	<b>MILLGRAIN</b>	<b>PLAIN</b>
14 mm millgrain	AK 80/13 / B	B	
14 mm plain		B	K 80/60
16 mm millgrain	K 80/15	B	
16 mm plain		B	K 80/61

4 holes in bottom

**2020****SETTINGS**

8 mm millgrain	K 80/6	<b>MILLGRAIN</b>	<b>PLAIN</b>
8 mm plain		B	K 80/48
10 mm millgrain	K 80/8	B	
10 mm plain		B	K 80/58
12 mm millgrain	K 80/10	B	
12 mm plain		B	K 80/59
16 mm millgrain	K 80/15	B	
16 mm plain		B	K 80/61

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

**SETTINGS FOR SOLDERING K / B closed back      K / L open back**

**SETTINGS for SEW-ON AK / L open back**

**CUP-CHAINS / 1 for Bracelet / 3 for Necklace**

**SWAROVSKI SETTINGS**

**ARTICLE NO. SIZE K /**

## **2028 SETTINGS for SEW-ON**

**Xilion Rose**



SS 13	AK 1/42	with cross on backside
SS 16	AK 1/26	with cross on backside
SS 18	AK 1/27	with cross on backside
SS 20	AK 1/28	with cross on backside
SS 24	AK 1/29	with cross on backside
SS 30	AK 1/30	with cross on backside
SS 34	AK 1/31	with cross on backside
SS 40	AK 1/39	with cross on backside
SS 43	AK 1/33	with cross on backside
SS 48	AK 1/40	with cross on backside

**2028 Xilion Rose**



## **SETTINGS for TEXTILE / LEATHER**

SS 16	K 1/60 / L
SS 20	K 1/56 / L
SS 25	K 1/62 / L
SS 30	K 1/57 / L
SS 34	K 1/63 / L
SS 40	K 1/58 / L

**"Tiffany Settings" grained  
material: BRASS MS 63**

**2030**



## **SETTINGS MILLGRAIN PLAIN**

20 mm	K 80/17	B
30 mm	K 80/49	B

**2035**

## **SETTINGS MILLGRAIN PLAIN**

20 mm	K 80/17	B
30 mm	K 80/49	B

**Please ask for samples  
before ordering !!!**

**2072**



## **SETTINGS MILLGRAIN PLAIN**

8 mm millgrain	K 80/6	B
8 mm plain		B
10 mm millgrain	K 80/8	B
10 mm plain		B
12 mm millgrain	K 80/10	B
12 mm plain		B

**K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..**

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.**

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	<b>/ 1 for Bracelet</b>	<b>/ 3 for Necklace</b>	<b>/ 2 horizontal</b>
<b><u>SWAROVSKI</u></b>		<b><u>SETTINGS</u></b>	<b><u>SEW-ON</u></b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b><u>2090/4</u></b>	<b><u>SETTINGS</u></b>	<b><u>MILLGRAIN</u></b>	<b><u>PLAIN</u></b>
	2 mm millgrain	K 80/73	B
	3 mm millgrain	K 80/1	B
	4 mm millgrain	K 80/2	B
	5 mm millgrain	K 80/3	B
	5 mm plain		B K 80/56
	6 mm millgrain	K 80/4	B
	6 mm plain		B K 80/47
	7 mm millgrain	K 80/5	B
	8 mm millgrain	K 80/6	B
	8 mm plain		B K 80/48
	10 mm millgrain	K 80/8	B
	10 mm plain		B K 80/58
	12 mm millgrain	K 80/10	B
	12 mm plain		B K 80/59
	14 mm millgrain	K 80/13	B
	14 mm plain		B K 80/60

## 2110/2 / 2190/4 / 2796/4

<b>SETTINGS</b>	<b>MILLGRAIN</b>	<b>PLAIN</b>
	K 83/36	B
	6x4 mm millgrain	
	6x4 mm plain	B K 83/30
	8x6 mm millgrain	K 83/2
	8x6 mm plain	
	K 83/21	B K 83/21
	10x8 mm millgrain	K 83/3
	10x8 mm plain	
	K 83/5	B K 83/22
	14x10 mm millgrain	

## 2110/2 / 2190/4 / 2796/4

<b>SETTINGS</b>			
	14x10 mm millgrain	AK 83/5 tu	B with tunnel on the backside of SEWING
	14x10 mm plain		B K 83/27
	18x13 mm millgrain	K 83/7	
	18x13mm millgrain	AK 83/7	B with tunnel on the backside of SEWING
	18x13 mm plain		B K 83/24

## 2200/2

<b>SETTINGS</b>	<b>MILLGRAIN</b>	<b>PLAIN</b>
	K 81/1	B

## 2300/2 +

## 2390/4

<b>SETTINGS</b>	<b>MILLGRAIN</b>	<b>PLAIN</b>
	K 82/1	B
	10x6 mm millgrain	K 82/5

**K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..**

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.**

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B</b> closed back	<b>K / L</b> open back
<b>SETTINGS</b>	for SEW-ON	<b>AK / L</b> open back	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b><u>2400</u></b>	<b>SETTINGS</b>	<b>MILLGRAIN</b>	
	4 mm millgrain	K 85/1	B
	6 mm millgrain	K 85/2	B
	8 mm millgrain	K 85/3	B
	10 mm millgrain	K 85/4	B
	12 mm millgrain	K 85/5	B
<b><u>2415</u></b>	<b>SETTINGS</b>	<b>MILLGRAIN</b>	
	4 mm millgrain	K 85/1	B
<b><u>2483</u></b>	<b>SETTINGS - 4 CLAWS</b>		<b>SEW-ON</b>
	25 mm	K 12/25	B+L AK 12/25 / L 4 holes / 1 hole each side
			<b>ATTENTION:</b> stone can only be set after SEW-ON!
<b><u>2483</u></b>	<b>SETTINGS</b>	<b>MILLGRAIN</b>	<b>PLAIN</b>
	10mm millgrain	K 85/4	B
<b><u>2493</u></b>	<b>SETTINGS - 4 CLAWS</b>		<b>SEW-ON</b>
	8 mm **	K 12/3	B+L AK 12/3 4 holes / 2 holes each side
	10 mm **	K 12/4	B+L AK 12/4 4 holes / 2 holes each side
	20 mm	K 12/21	B AK 12/21 8 holes / 2 holes each side
	30 mm	K 12/22	B AK 12/22 8 holes / 2 holes each side
			<b>** Please ask for samples before ordering!</b>
<b><u>2493</u></b>	<b>SETTINGS</b>		
	8 mm millgrain	K 85/3	B please ask for sample
	10 mm millgrain	K 85/4	B please ask for sample
	12 mm millgrain	K 85/5	B please ask for sample
	20 mm plain	K 85/14	B
	30 mm millgrain	K 85/9	B
<b><u>2520</u></b>	<b>SETTINGS</b>		
	8x6 mm millgrain	K 84/13	B
	8x6mm millgrain	AK 84/13	B with tunnel on the backside for SEWING
	10x8 mm millgrain	K 84/14	B
	10x8mm millgrain	AK 84/14	B with tunnel on the backside for SEWING
	14x10 mm millgrain	K 84/1	B
	14x10mm millgrain	AK 84/1	B with tunnel on the backside for SEWING
	20x14mm plain	K 84/16	B

**K / B+L** and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS** closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	for SEW-ON	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b><u>2585</u></b>			
		<b>SETTINGS - 4 CLAWS</b>	
		8x6mm	K 9/23
		10x8mm	K 9/24
		14x10mm	K 9/25
			B+L AK 9/23 / L 4 holes - 2 holes each side
			B+L AK 9/24 / L 4 holes - 2 holes each side
			B+L AK 9/25 / L 4 holes - 2 holes each side
<b><u>2709</u></b>		<b>SETTINGS - 4 CLAWS</b>	
			13x8mm
			K 15/9 ONLY closed back
			B
<b><u>2711</u></b>		<b>SETTINGS</b>	<b>MILLGRAIN</b>
		6 mm millgrain	K 86/7
			B
<b><u>2796/4</u></b>		<b>SETTINGS</b>	<b>MILLGRAIN</b>
		14x7 mm millgrain	K 83/44
			B
<b><u>2893/4</u></b>		<b>SETTINGS</b>	<b>MILLGRAIN</b>
		10 mm millgrain	K 86/17
			B
<b><u>3700</u></b>		<b>SETTINGS for SOLDERING</b>	<b>SEW-ON</b>
<b>Rosette</b>	12 mm	K 90/37	B AK 90/37 / B 4 holes - 2 holes each side
			
<b><u>3700</u></b>		<b>CUP-CHAINS</b>	<b>minimum</b>
<b>Rosette</b>	12mm	KK 9677/1/68	<u>10 m</u> Standard approx. 68 settings p. m.
<b><u>4100/4110/2/4128/4129/1/4130/2/4140</u></b>			
		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
		6x4mm	K 7/1
		7x5mm	K 7/2
		8x6mm	K 7/3
		10x8mm	K 7/4
		12x8mm	K 7/5
		12x10mm	K 7/6
		14x10mm	K 7/7
			B+L AK 7/1 / L 2 holes - 1 hole each side
			B+L AK 7/2 / L 2 holes - 1 hole each side
			B+L AK 7/3 / L 4 holes - 2 holes each side
			B+L AK 7/4 / L 4 holes - 2 holes each side
			B+L AK 7/5 / L 4 holes - 2 holes each side
			B+L AK 7/6 / L 4 holes - 2 holes each side
			B+L AK 7/7 / L 4 holes - 2 holes each side
<b><u>4100/4110/2/4128/4129/1/4130/2/4140</u></b>		<b>SETTINGS</b>	<b>FRENCH</b>
		10x8mm	K 43/2
		12x10mm	K 43/3
		14x10mm	K 43/4
			B+L

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>

## **4100**



8x6 + 10x8 mm

## **STAMPINGS FOR GLUING**

8x6 mm	P 07433	without ring
8x6 mm	P 07434	with 1 ring
10x8 mm	P 07435	without ring
10x8 mm	P 07436	with 1 ring
14x10 mm	P 07383	without ring
14x10 mm	P 07384	with 1 ring
18x13 mm	P 07385	without ring
14x10 + 18x13 mm	P 07386	with 1 ring



14x10 + 18x13 mm

## **4100/4110/2/4128/4129/1/4130/2/4140**

### **CUP-CHAINS - 4 CLAWS**

10x8mm	KS 323/102 /1+/3	<u>10 m</u>	Standard	approx. 102 settings p. m.
12x10mm	KS 324/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
14x10mm	KS 325/82 /1+/3	<u>10 m</u>	Standard	approx. 82 settings p. m.

## **4114**



### **SETTINGS - 4 CLAWS**

14x10mm	K 7/7	<b>SEW-ON</b>	4 holes - 2 holes each side
18x13mm	K 7/9	<b>B+L</b>	4 holes - 2 holes each side

## **4114**



### **SETTINGS**


14x10 mm	K 43/4	<b>FRENCH</b>	B+L
18x13 mm	K 43/6		B+L AK 43/6 / L

## **4114**

### **CUP-CHAINS - 4 CLAWS**

14x10mm	KS 325/82 /1+/3	<u>10 m</u>	Standard	approx. 82 settings p. m.
18x13mm	KS 327/72 /1+/3	<u>10 m</u>	Standard	approx. 72 settings p. m.

## **4116**



### **SETTINGS - 4 CLAWS**

14x10mm	K 7/30	<b>SEW-ON</b>	4 holes - 2 holes each side
		<b>B+L</b>	AK 7/30 / L

## **4120**



### **SETTINGS - 4 CLAWS**

6x4mm	K 7/1	<b>SEW-ON</b>	2 holes - 1 hole each side
8x6mm	K 7/3	<b>B+L</b>	4 holes - 2 holes each side
14x10mm	K 7/7	<b>B+L</b>	4 holes - 2 holes each side
16x11mm	K 7/8	<b>B+L</b>	4 holes - 2 holes each side
18x13mm	K 7/9	<b>B+L</b>	4 holes - 2 holes each side
20x15mm	K 7/10	<b>B+L</b>	4 holes - 2 holes each side
25x18mm	K 7/11	<b>B+L</b>	4 holes - 2 holes each side

**K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..**

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.**

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	<b>/ 1 for Bracelet</b>	<b>/ 3 for Necklace</b>	<b>/ 2 horizontal</b>
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b><u>4120</u></b>	<b>SETTINGS</b>	<b>FRENCH</b>	<b>SEW-ON</b>
	14x10mm	K 43/4	B+L
	18x13 mm	K 43/6	B+L AK 43/6 / L
	25x18 mm	K 43/8	B+L
			4 holes - 2 holes each side

## **4120 STAMPINGS - FRAMES FOR GLUING**




14x10 mm	P 07995	without ring
14x10 mm	P 07996	with 1 ring
14x10 mm	P 07997	with 2 rings
18x13 mm	P 07881	without ring
18x13 mm	P 07882	with 1 ring
18x13 mm	P 07883	with 2 rings
25x18 mm	P 07905	without ring
25x18 mm	P 07906	with 1 ring
25x18 mm	P 07907	with 2 rings

## **4123 SETTINGS - 4 CLAWS**



14x7 mm	K 8/3	B+L AK 8/3 L	4 holes - 2 holes each side
16x8 mm	K 8/4	B+L AK 8/4 L	4 holes - 2 holes each side
18x9 mm	K 8/5	B+L AK 8/5 L	4 holes - 2 holes each side

## **4127 SETTINGS - 4 CLAWS**



30x22 mm	K 7/14	B+L AK 7/14 /L	4 holes - 2 holes each side
39x28 mm	K 7/40	B+L AK 7/40 /L	4 holes - 2 holes each side

## **4127 STAMPINGS - FRAMES FOR GLUING**



30x22 mm	P 07975	without ring
30x22 mm	P 07976	with 1 ring
30x22 mm	P 07977	with 2 rings
39x28 mm	P 08016	without ring
39x28 mm	P 08017	with 1 ring
39x28 mm	P 08018	with 2 rings

## **4128 SETTINGS - 4 CLAWS**



6x4mm	K 7/1	B+L AK 7/1 /L	2 holes - 1 hole each side
14x10mm	K 7/7	B+L AK 7/7 /L	4 holes - 2 holes each side

## **4137 STAMPINGS - FRAMES FOR GLUING**



22x16 mm	P 07978/G	without ring
22x16 mm	P 07979/G	with 1 ring
22x16 mm	P 07980/G	with 2 rings

**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B** requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>	
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>		
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal	
<b><u>SWAROVSKI</u></b>		<b><u>SETTINGS</u></b>	<b><u>SEW-ON</u></b>	
<b><u>ARTICLE NO.</u></b>	<b><u>SIZE</u></b>	<b>K /</b>	<b>AK /</b>	
<b><u>4139</u></b>		<b><u>SETTINGS - 4 CLAWS</u></b>	<b><u>SEW-ON</u></b>	
	14 mm/L open back	K 2/19	L AK 2/19 / L	4 holes - 2 holes each side
	20 mm/L open back	K 2/20	L AK 2/20 / L	4 holes - 2 holes each side
<b><u>4139</u></b>		<b><u>STAMPINGS - FRAMES FOR GLUING</u></b>		
	20 mm	P 07942/G	without ring	
	20 mm	P 07943/G	with 1 ring	
	20 mm	P 07944/G	with 2 rings	
<b><u>4161</u></b>		<b><u>SETTINGS - 4 CLAWS</u></b>	<b><u>SEW-ON</u></b>	
	15x5 mm	K 9/31	B+L AK 9/31 / L	4 holes - 2 holes each side
	21x7 mm	K 9/32	B+L AK 9/32 / L	4 holes - 2 holes each side
	27x9 mm	K 9/33	B+L AK 9/33 L	4 holes - 2 holes each side
<b><u>4161</u></b>		<b><u>STAMPINGS - FRAMES FOR GLUING</u></b>		
	15x5 mm	P 08001	without ring	
	15x5 mm	P 08002	with 1 ring	
	15x5 mm	P 08003	with 2 rings	
	21x7 mm	P 07893	without ring	
	21x7 mm	P 07894	with 1 ring	
	21x7 mm	P 07895	with 2 rings	
<b><u>4161</u></b>		<b><u>STAMPINGS - FRAMES FOR GLUING</u></b>		
	27x9 mm	P 07896	without ring	
	27x9 mm	P 07897	with 1 ring	
	27x9 mm	P 07898	with 2 rings	
<b><u>4161</u></b>		<b><u>CUP-CHAINS - 4 CLAWS</u></b>	<b><u>minimum</u></b>	
	21x7mm	KS 998/2/43	<u>10 m</u> Standard	approx. 43 settings p. m.
<b><u>4196</u></b>		<b><u>STAMPINGS - FRAMES FOR GLUING</u></b>		
	23x20mm	P 08037	without ring	
	23x20mm	P 08038	with 1 ring	
	23x20mm	P 08039	with 2 rings	
		<b><u>STAMPINGS - FRAMES FOR GLUING</u></b>		
	30x26mm	P 08040	without ring	
	30x26mm	P 08041	with 1 ring	
	30x26mm	P 08042	with 2 rings	

**K / B+L** and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS** closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b><u>4200</u></b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
<b><u>4200/2</u></b>			
	5x2,5mm	K 5/1	B AK 5/1 / B
	6x3mm	K 5/2	B+L AK 5/2 / L
	8x4mm	K 5/5	B+L AK 5/5 / L
	10x5mm	K 5/7	B+L AK 5/7 / L
	11x3mm	K 5/9	B AK 5/9 / B
	12x6mm	K 5/10	B+L AK 5/10 / L
	15x4mm	K 5/12	B AK 5/12 / B
	15x7mm	K 5/15	B+L AK 5/15 / L
	18x9mm	K 5/17	B+L AK 5/17 / L
	35x9,5mm	K 5/30	B+L AK 5/30 / L
	48x13mm	K 5/31	B+L AK 5/31 / L
			2 holes - 1 hole each side
			2 holes - 1 hole each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
<b><u>4200</u></b>		<b>SETTINGS</b>	<b>FRENCH</b>
<b><u>4200/2</u></b>			
	8x4mm	K 42/1	B+L
	10x5 mm	K 42/2	B+L
	15x7 mm	K 42/4	B+L
<b><u>4200</u></b>		<b>SETTINGS - 4 CLAWS</b>	<b>with ring</b>
<b><u>4200/2</u></b>			
	10x5mm	K 70/27	B+L
	11x3mm	K 70/28	B
	15x7mm	K 70/104	B+L
<b><u>4200</u></b>		<b>STAMPINGS - FRAMES FOR GLUING</b>	
<b><u>4200/2</u></b>			
	8x4mm	PA 07697	with 1 ring automatic production
	3 x 8x4mm + 1x SS24 for Swaro 1012/1028	P 07696	with 4 rings
<b><u>4200</u></b>		<b>STAMPINGS - FRAMES FOR GLUING</b>	
<b><u>4200/2</u></b>			
	10x5mm	P 07850	without ring
	10x5mm	P 07851	with 1 ring
	10x5mm	P 07852	with 2 rings
<b><u>4200</u></b>		<b>STAMPINGS - FRAMES FOR GLUING</b>	
<b><u>4200/2</u></b>			
	15x7mm	P 07843	without ring
	15x7mm	P 07844	with 1 ring
	15x7mm	P 07845	with 2 rings
<b><u>4200</u></b>			
	35x9,5mm	P 08031	without ring
	35x9,5mm	P 08032	with 1 ring
	35x9,5mm	P 08033	with 2 rings
	48x13mm	P 08034	without ring
	48x13mm	P 08035	with 1 ring
	48x13mm	P 08036	with 2 rings

**K / B+L** and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B** requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

**SETTINGS FOR SOLDERING** K / B closed back      **K / L open back**

**SETTINGS for SEW-ON** AK / L open back

**CUP-CHAINS / 1 for Bracelet** / 3 for Necklace

**SWAROVSKI SETTINGS** **SEW-ON**

**ARTICLE NO.** **SIZE** **K /** **AK /**

## **4200 STAMPINGS FOR GLUING**



10x 5mm	P 07404	without ring
10x 5mm	P 07405	with 1 ring

## **4200 CUP-CHAINS - 4 CLAWS minimum**

10x5mm	KS 304/148 /1+/3	<u>10 m</u>	Standard	approx. 148 settings p. m.
15x7mm	KS 307/110 /1+/3	<u>10 m</u>	Standard	approx. 110 settings p. m.

## **4202/2 SETTINGS - 4 CLAWS SEW-ON**



15x7mm	K 5/15	B+L	<u>AK 5/15 / L</u>	4 holes - 2 holes each side
--------	--------	-----	--------------------	-----------------------------

## **4224 SETTINGS - 4 CLAWS SEW-ON**

10x8mm	K 7/4	B+L	<u>AK 7/4 / L</u>	4 holes - 2 holes each side
--------	-------	-----	-------------------	-----------------------------

## **4224 STAMPINGS - FRAMES FOR GLUING**

14x11 mm	P 08088	without ring	available December 2012
14x11 mm	P 08089	with 1 ring	available December 2012
14x11 mm	P 08090	with 2 rings	available December 2012
23x18mm	P 08091	without ring	available December 2012
23x18mm	P 08092	with 1 ring	available December 2012
23x18mm	P 08093	with 2 rings	available December 2012

## **4227 32x17 mm SEW-ON**



## **4227 STAMPINGS - FRAMES FOR GLUING**

32x17 mm	P 07899	without ring
32x17 mm	P 07900	with 1 ring
32x17 mm	P 07901	with 2 rings

## **4228/4231 SETTINGS - 4 CLAWS SEW-ON**

6x3mm	K 5/2	B+L	<u>AK 5/2 / L</u>	2 holes - 1 hole each side
8x4mm	K 5/5	B+L	<u>AK 5/5 / L</u>	4 holes - 2 holes each side
10x5mm	K 5/7	B+L	<u>AK 5/7 / L</u>	4 holes - 2 holes each side
15x7mm	K 5/15	B+L	<u>AK 5/15 / L</u>	4 holes - 2 holes each side
18x9mm	K 5/17	B+L	<u>AK 5/17 / L</u>	4 holes - 2 holes each side



**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B** requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b>4228/4231</b>	<b>SETTINGS - 4 CLAWS</b>		<b>with ring</b>
	15x7mm	K 70/104	B+L

**4228/4231****STAMPINGS - FRAMES FOR GLUING**

3 x 8x4 mm + P 07696 with 4 rings  
 1x SS24 for Swaro 1012/1028



8x4 mm PA 07697

with 1 ring

automatic production


**4228/4231****STAMPINGS - FRAMES FOR GLUING**

10x5mm	P 07850	without ring
10x5mm	P 07851	with 1 ring
10x5mm	P 07852	with 2 rings
15x7mm	P 07843	without ring
15x7mm	P 07844	with 1 ring
15x7mm	P 07845	with 2 rings
18x9 mm	P 07948	without ring
18x9 mm	P 07949	with 1 ring
18x9 mm	P 07950	with 2 rings

**4228/4231****CUP-CHAINS - 4 CLAWS****minimum**

10x5mm	KS 304/148 /1+/3	<u>10 m</u>	Standard
15x7mm	KS 307/110 /1+/3	<u>10 m</u>	Standard

approx. 148 settings p. m.  
 approx. 105 settings p. m.

**4300****SETTINGS - 4 CLAWS**

6x3.6 mm	K 3/1
8x4,8 mm	K 3/2
10x6 mm	K 3/3
13x7,8 mm	K 3/4

**SEW-ON**

B+L	AK 3/1 / L	2 holes - 1 hole each side
B+L	AK 3/2 / L	4 holes - 2 holes each side
B+L	AK 3/3 / L	4 holes - 2 holes each side
B+L	AK 3/4 / L	4 holes - 2 holes each side

**4300****SETTINGS**

13x7,8 mm K 41/2

B+L

**4300****SETTINGS FOR GLUING**

10x6mm K 3/12

**with ring**

B

**4300****STAMPINGS FOR GLUING**

10x6 mm	P 07408
10x6 mm	P 07409

without ring  
 with 1 ring

**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B** requires minimum quantity till 20mm diam. 5.000 pcs.  
 - exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b>4300</b>		<b>SETTINGS - 4 CLAWS</b>	<b>with ring</b>
		8x4,8mm 10x6mm 13x7,8mm	K 70/6 K 70/7 K 70/9
			B+L B+L B+L

<b>4300</b>	<b>CUP-CHAINS - 4 CLAWS</b>	<b>minimum</b>		
	10x6mm 13x7,8mm	KS 309/126 /1+3 KS 308/98 /1+3	<b>10 m</b> <b>10 m</b>	Standard Standard
				approx. 126 settings p. m. approx. 98 settings p. m.

<b>4316</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>	
		14x10mm	K 4/2	B+L AK 4/2 / L

<b>4316</b>	<b>SETTINGS - 4 CLAWS</b>	<b>with ring</b>	
	14x10mm 14x10 mm	K 70/109 K 70/110	B+L with 1 ring B+L with 2 rings

<b>4320</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>		
		6x4 mm 8x6 mm 10x7 mm 13x8,5 mm 14x10 mm 15x11 mm 18x13 mm 20x15 mm 25x18 mm ***	K 4/13 K 4/11 K 4/1 K 4/10 K 4/2 K 4/3 K 4/4 K 4/8 K 4/12	B+L AK 4/13 / L B+L AK 4/11 / L B+L AK 4/1 / L B+L AK 4/10 / L B+L AK 4/2 / L B+L AK 4/3 / L B+L AK 4/4 / L B+L AK 4/8 / L B+L AK 4/12 / L	2 holes - 1 hole each side 4 holes - 2 holes each side

\*\*\* 25x18mm - no stone from Swarovski available

<b>4320</b>		<b>SETTINGS</b>	<b>FRENCH</b>	
		15x11 mm	K 41/3	B+L

<b>4320</b>		<b>SETTINGS - 4 CLAWS</b>	<b>with ring</b>	
		14x10mm 14x10 mm 18x13 mm	K 70/109 K 70/110 K 70/11	B+L with 1 ring B+L with 2 rings B+L with 1 ring

<b>4320</b>		<b>STAMPINGS - FRAMES FOR GLUING</b>		
		8x6 mm 8x6 mm 8x6 mm	P 07955 P 07956 P 07957	without ring with 1 ring with 2 rings

**K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..**

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.**  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B</b> closed back	<b>K / L</b> open back
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L</b> open back	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>

## 4320



### STAMPINGS - FRAMES FOR GLUING

14x10mm	P 07719	without ring
14x10mm	P 07720	with 1 ring
14x10mm	P 07721	with 2 rings
18x13mm	P 07831	without ring
18x13mm	P 07832	with 1 ring
18x13mm	P 07833	with 2 rings

## 4320

### CUP-CHAINS - 4 CLAWS

18x13mm	KS 311/71 /1+/3	<u>minimum</u>	
		<u>10 m</u>	Standard approx. 71 settings p. m.

## 4327

### SETTINGS - 4 CLAWS

30x20mm	K 3/9	B+L AK 3/9 / L	4 holes - 2 holes each side
40x27 mm	K 3/40	B+L AK 3/40 /L	4 holes - 2 holes each side



## 4327

### STAMPINGS - FRAMES FOR GLUING

30x20 mm	P 07902	without ring
30x20 mm	P 07903	with 1 ring
30x20 mm	P 07904	with 2 rings
40x27 mm	P 07970	without ring
40x27 mm	P 07971	with 1 ring



## 4327

### STAMPINGS - FRAMES WITH 4 CLAWS


40x27 mm	P 07967	without ring
40x27 mm	P 07968	with 1 ring



## 4328

### SETTINGS - 4 CLAWS

6x3.6 mm	K 3/1	B+L AK 3/1 / L	2 holes - 1 hole each side
8x4,8 mm	K 3/2 *	B+L AK 3/2 / L	4 holes - 2 holes each side
10x6 mm	K 3/3	B+L AK 3/3 / L	4 holes - 2 holes each side
13x7,8 mm	K 3/4	B+L AK 3/4 / L	4 holes - 2 holes each side



### SEW-ON

\* please ask for sample before ordering

## 4328

### SETTINGS

13x7,8 mm	K 41/2	
		B+L



### FRENCH

## 4328

### SETTINGS FOR GLUING

10x6mm	K 3/12
	B

### with ring



**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B** requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	

<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
-------------------	------------------	------------------	----------------

<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
------------------	--	-----------------	---------------

<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
--------------------	-------------	------------	-------------

## **4328 STAMPINGS FOR GLUING**



10x6 mm	P 07408	without ring
10x6 mm	P 07409	with 1 ring

## **4328 SETTINGS - 4 CLAWS**



8x4,8mm	K 70/6 *	<b>with ring</b>
10x6mm	K 70/7	B+L * please ask for sample before ordering
13x7,8mm	K 70/9	B+L

## **4328 CUP-CHAINS - 4 CLAWS**

10x6mm	KS 309/126 /1+/3	<b>10 m</b>	Standard	approx. 126 settings p. m.
13x7,8mm	KS 308/98 /1+/3	<b>10 m</b>	Standard	approx. 98 settings p. m.

## **4370 SETTINGS - 4 CLAWS**



11x10 mm	K 23/29	<b>SEW-ON</b>
15,5x14 mm	K 23/30	B+L AK 23/29 / L
20x18 mm	K 23/31	B+L AK 23/30 / L

B+L	AK 23/29 / L	4 holes - 2 holes each side
B+L	AK 23/30 / L	4 holes - 2 holes each side
B+L	AK 23/31 / L	4 holes - 2 holes each side

## **4400 SETTINGS - 4 CLAWS**



6 mm	K 12/2	<b>SEW-ON</b>
5 mm	K 12/6	B+L AK 12/2 / L
8 mm	K 12/3	B+L AK 12/6 / L

B+L	AK 12/2 / L	4 holes - 2 holes each side
B+L	AK 12/6 / L	2 holes - 1 hole each side
B+L	AK 12/3 / L	4 holes - 2 holes each side

## **4400 STAMPINGS FOR GLUING**



6 mm	P 07602	without ring
6 mm	P 07603	with 1 ring
8 mm	P 07393	without ring
8 mm	P 07394	with 1 ring
10 mm	P 07395	without ring
10 mm	P 07396	with 1 ring

without ring

with 1 ring

without ring

with 1 ring

without ring

with 1 ring

## **4401 SETTINGS - 4 CLAWS**



4 mm	K 12/1	<b>SEW-ON</b>
3 mm	K 12/13	B+L AK 12/1 / L

B+L	AK 12/1 / L	4 holes - 1 hole each side
B+L	AK 12/13 / L	4 holes - 1 hole each side

## **4404 SETTINGS - 4 CLAWS**



6 mm	K 12/2	<b>SEW-ON</b>
8 mm	K 12/3	B+L AK 12/2 / L

B+L	AK 12/2 / L	4 holes - 2 holes each side
B+L	AK 12/3 / L	4 holes - 2 holes each side

**K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..**

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.**

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b>4410</b>			
		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	10 mm	K 12/4	B+L AK 12/4 / L
	12 mm	K 12/5	B+L AK 12/5 L
			4 holes - 2 holes each side
			4 holes - 2 holes each side
<b>4415</b>			
		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	3 mm	K 12/13	B+L AK 12/13 / L
	4 mm	K 12/1	B+L AK 12/1 / L
			4 holes - 1 hole each side
			4 holes - 1 hole each side
<b>4428 Xilion</b>			
		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	3 mm	K 12/13	B+L AK 12/13 / L
	4 mm	K 12/1	B+L AK 12/1 / L
	5 mm	K 12/6	B+L AK 12/6 / L
	6 mm	K 12/2	B+L AK 12/2 / L
	8 mm	K 12/3	B+L AK 12/3 / L
			4 holes - 1 hole each side
			4 holes - 1 hole each side
			2 holes - 1 hole each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
<b>4439</b>			
		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	14 mm open back	K 12/14	L AK 12/14* / L
	20 mm open back	K 12/15	L AK 12/15* / L
	30 mm open back	K 12/16	L AK 12/16* / L
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
<b>4439</b>			
		<b>STAMPINGS - FRAMES FOR GLUING</b>	
	20 mm open back	P 07923/G	L without ring
	20 mm open back	P 07924/G	L with 1 ring
	20 mm open back	P 07925/G	L with 2 rings
<b>4439</b>			
		<b>PENDANT - STAMPING</b>	
	for 20 mm stone	PA 07692/G	plain
	for 20 mm stone	PA 07693/D	open center, with ring
			grained
			with ring
<b>4440/2</b>			
		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	4 mm	K 12/1	B+L AK 12/1 / L
	5 mm	K 12/6	B+L AK 12/6 / L
	6 mm	K 12/2	B+L AK 12/2 / L
	8 mm	K 12/3	B+L AK 12/3 / L
	10 mm	K 12/4	B+L AK 12/4 / L
	12 mm	K 12/5	B+L AK 12/5 L
			4 holes - 1 hole each side
			2 holes - 1 hole each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>	
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>		
<b>CUP-CHAINS</b>	<b>/ 1 for Bracelet</b>	<b>/ 3 for Necklace</b>	<b>/ 2 horizontal</b>	
<b><u>SWAROVSKI</u></b>		<b><u>SETTINGS</u></b>	<b><u>SEW-ON</u></b>	
<b>ARTICLE NO.</b>	<b><u>SIZE</u></b>	<b>K /</b>	<b>AK /</b>	
<b><u>4447</u></b>		<b><u>SETTINGS - 4 CLAWS</u></b>	<b><u>SEW-ON</u></b>	
	4 mm	K 12/1	B+L AK 12/1 / L	4 holes - 1 hole each side
	5 mm	K 12/6	B+L AK 12/6 / L	2 holes - 1 hole each side
	6 mm	K 12/2	B+L AK 12/2 / L	4 holes - 2 holes each side
	8 mm	K 12/3	B+L AK 12/3 / L	4 holes - 2 holes each side
	10 mm	K 12/4	B+L AK 12/4 / L	4 holes - 2 holes each side
	12 mm	K 12/5	B+L AK 12/5 / L	4 holes - 2 holes each side

**4447** **STAMPINGS - FRAMES FOR GLUING**


8 mm	P 07782	without ring
8 mm	P 07783	with 1 ring
8 mm	P 07784	with 2 rings
12 mm	P 07914	without ring
12 mm	P 07915	with 1 ring
12 mm	P 07916	with 2 rings

**4461** **SETTINGS - 4 CLAWS** **SEW-ON**

8 mm	K 13/31	B+L AK 13/31 / L	4 holes - 2 holes each side
12 mm	K 13/24	B+L AK 13/24 / L	4 holes - 2 holes each side
16 mm	K 13/25	B+L AK 13/25 / L	4 holes - 2 holes each side

**4461** **STAMPINGS - FRAMES FOR GLUING**

8mm	P 08065	without ring
8mm	P 08066	with 1 ring
8mm	P 08067	with 2 rings
12 mm	P 08010	without ring
12 mm	P 08011	with 1 ring
12 mm	P 08012	with 2 rings
16 mm	P 08013	without ring
16 mm	P 08014	with 1 ring
16 mm	P 08015	with 2 rings

**4470** **SETTINGS - 4 CLAWS** **SEW-ON**

8 mm	K 13/31	B+L AK 13/31 / L	4 holes - 2 holes each side
10 mm	K 13/26	B+L AK 13/26 / L	4 holes - 2 holes each side
12 mm	K 13/24	B+L AK 13/24 / L	4 holes - 2 holes each side
14 mm	K 13/13	B+L AK 13/13 / L	4 holes - 2 holes each side
16 mm	K 13/25	B+L AK 13/25 / L	4 holes - 2 holes each side
18 mm	K 13/14	B+L AK 13/14 / L	4 holes - 2 holes each side

**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS** closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	<b>/ 1 for Bracelet</b>	<b>/ 3 for Necklace</b>	<b>/ 2 horizontal</b>
<b><u>SWAROVSKI</u></b>		<b><u>SETTINGS</u></b>	<b><u>SEW-ON</u></b>
<b>ARTICLE NO.</b>	<b><u>SIZE</u></b>	<b>K /</b>	<b>AK /</b>

**4470****STAMPINGS - FRAMES FOR GLUING**

10 mm	P 07764	without ring
10 mm	P 07765	with 1 ring
10 mm	P 07766	with 2 rings
12 mm	P 07767	without ring
12 mm	P 07768	with 1 ring
12 mm	P 07769	with 2 rings

**4470****CUP-CHAINS - 4 CLAWS**

8 mm	KS 990/102 /1+/3	<b>minimum</b>	
12 mm	KS 987/72 /1+/3	<b>10 m</b>	Standard approx.102 settings p. m.

**10 m** Standard approx. 102 settings p. m.

**10 m** Standard approx. 72 settings p. m.

**4500****SETTINGS - 4 CLAWS****SEW-ON**

6x2 mm	K 10/4	B	
10x3 mm	K 10/6	B	AK 10/6 / B 4 holes - 2 holes each side

B AK 10/6 / B 4 holes - 2 holes each side

B AK 10/6 / B 4 holes - 2 holes each side

**4501****SETTINGS - 4 CLAWS****SEW-ON**

4x2 mm	K 10/1	B	
5x2 mm	K 10/2	B	
5x2,5 mm	K 10/3	B	
6x2 mm	K 10/4	B	
7x3 mm	K 10/5	B	AK 10/5 / B 4 holes - 1 hole each side
10x5 mm	K 10/23	B+L	AK 10/23 / L 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

**4502****SETTINGS - 4 CLAWS****SEW-ON**

10x5 mm	K 10/23	B+L	
		AK 10/23 / L	4 holes - 2 holes each side

B+L AK 10/23 / L 4 holes - 2 holes each side


B+L AK 10/23 / L 4 holes - 2 holes each side

**4505****SETTINGS - 4 CLAWS****SEW-ON**

14x8mm	K 9/38	B+L	
		AK 9/38 / L	4 holes - 2 holes each side

B+L AK 9/38 / L 4 holes - 2 holes each side

B+L AK 9/38 / L 4 holes - 2 holes each side

**4510****SETTINGS - 4 CLAWS****SEW-ON**

6x4mm	K 10/24	B+L	
10x8 mm	K 10/7	B+L	4 holes - 2 holes each side
14x10 mm	K 10/15	B+L	4 holes - 2 holes each side

B+L AK 10/24 / L 4 holes - 2 holes each side

B+L AK 10/7 / L 4 holes - 2 holes each side


B+L AK 10/15 / L 4 holes - 2 holes each side

**4515/4521****SETTINGS - 4 CLAWS****SEW-ON**

4x2 mm	K 10/1	B	
		AK 10/1 / B	4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

**4527****SETTINGS - 4 CLAWS****SEW-ON**

8x6 mm	K 10/18	B+L	
10x8 mm	K 10/7	B+L	4 holes - 2 holes each side
14x10 mm	K 10/15	B+L	4 holes - 2 holes each side
18x13 mm	K 10/16	B+L	4 holes - 2 holes each side

B+L AK 10/18 / L 4 holes - 2 holes each side

B+L AK 10/7 / L 4 holes - 2 holes each side

B+L AK 10/15 / L 4 holes - 2 holes each side

B+L AK 10/16 / L 4 holes - 2 holes each side

**K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..**

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.**

**- exceeding 20mm diam. 1.500 pcs.**

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>

**4527****STAMPINGS - FRAMES FOR GLUING**

14x10 mm	P 07722	without ring
14x10 mm	P 07723	with 1 ring
14x10 mm	P 07724	with 2 rings

**4527****STAMPINGS FOR GLUING**

8x6 mm	P 07608	without ring
8x6 mm	P 07609	with 1 ring

**4527****CUP-CHAINS - 4 CLAWS**

14x10mm	KS 991/82 /1+/3	<b>minimum</b>	
		<u>10 m</u>	Standard approx. 82 settings p. m.

**4547****SETTINGS - 4 CLAWS**


15x5 mm	K 10/19	L + B	AK 10/19 L	4 holes - 2 holes each side
21x7 mm	K 10/20	L + B	AK 10/20 L	4 holes - 2 holes each side
24x8 mm	K 10/21	L + B	AK 10/21 L	4 holes - 2 holes each side
30x10 mm	K 10/22	L + B	AK 10/22 L	4 holes - 2 holes each side

**4547****STAMPINGS - FRAMES FOR GLUING**

15x5 mm	P 07770	without ring
15x5 mm	P 07771	with 1 ring
15x5 mm	P 07772	with 2 rings
21x7 mm	P 07773	without ring
21x7 mm	P 07774	with 1 ring
21x7 mm	P 07775	with 2 rings

**4547****STAMPINGS - FRAMES FOR GLUING**

24x8 mm	P 07834	without ring
24x8 mm	P 07835	with 1 ring
24x8 mm	P 07836	with 2 rings
30x10 mm	P 07847	without ring
30x10 mm	P 07848	with 1 ring
30x10 mm	P 07849	with 2 rings

**4565****SETTINGS - 4 CLAWS**

14x10 mm	K 9/25	B+L AK 9/25 / L	4 holes - 2 holes each side
18x13 mm	K 9/28	B+L AK 9/28 / L	4 holes - 2 holes each side

**4570****SETTINGS - 4 CLAWS**

8x6 mm	K 9/23	B+L AK 9/23 / L	4 holes - 2 holes each side
10x8 mm	K 9/24	B+L AK 9/24 / L	4 holes - 2 holes each side
14x10 mm	K 9/25	B+L AK 9/25 / L	4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b>4570</b>	<b>SETTINGS</b>	<b>FRENCH</b>	
		8x6 mm 10x8 mm 14x10 mm 25x18 mm	K 44/1 K 44/3 K 44/5 K 44/9
			B+L B+L B+L AK 44/5 / L B+L
			4 holes - 2 holes each side

<b>4581</b>	<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	24x16 mm	K 9/37



**4583** 4583 - please ask for samples before ordering!

### 4581/4582/4583/4584



#### STAMPINGS - FRAMES FOR GLUING

24x16 mm	P 07926	without ring
24x16 mm	P 07927	with 1 ring
24x16 mm	P 07928	with 2 rings

### 4600

#### SETTINGS - 4 CLAWS



#### SEW-ON

6x4 mm	K 9/1	B+L AK 9/1 / L	2 holes - 1 hole each side
8x4 mm	K 9/3	B+L AK 9/3 / L	4 holes - 2 holes each side
8x6 mm	K 9/4	B+L AK 9/4 / L	4 holes - 2 holes each side
10x8 mm	K 9/6	B+L AK 9/6 / L	4 holes - 2 holes each side
12x10 mm	K 9/9	B+L AK 9/9 / L	4 holes - 2 holes each side
16x11 mm	K 9/12	B+L AK 9/12 / L	4 holes - 2 holes each side

### 4600

#### SETTINGS



#### FRENCH

8x6 mm	K 44/1	B+L
10x8 mm	K 44/3	B+L
12x10 mm	K 44/4	B+L

### 4600

#### SETTINGS - 4 CLAWS



#### with ring

12x10 mm	K 70/26	B+L
----------	---------	-----

### 4600

#### STAMPINGS FOR GLUING




10x8 mm	P 07473	without ring
10x8 mm	P 07474	with 1 ring
18x13 mm	P 07468	without ring
18x13 mm	P 07469	with 1 ring

**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B** requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>		
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>			
<b>CUP-CHAINS</b>	<b>/ 1 for Bracelet</b>	<b>/ 3 for Necklace</b>	<b>/ 2 horizontal</b>		
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>		
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>		
<b><u>4610/4611</u></b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>		
	14x10 mm 18x13 mm 20x15 mm 25x18 mm	K 9/11 K 9/13 K 9/16 K 9/20	B+L AK 9/11 / L B+L AK 9/13 / L B+L AK 9/16 / L B+L AK 9/20 / L	4 holes - 2 holes each side 4 holes - 2 holes each side 4 holes - 2 holes each side 4 holes - 2 holes each side	
<b><u>4610/4611</u></b>	<b>SETTINGS</b>	<b>FRENCH</b>			
	14x10 mm 18x13 mm 25x18 mm	K 44/5 K 44/7 K 44/9	B+L AK 44/5 / L B+L AK 44/7 / L B+L	4 holes - 2 holes each side 4 holes - 2 holes each side	
<b><u>4610</u></b>		<b>STAMPINGS - FRAMES FOR GLUING</b>			
	14x10 mm 14x10 mm 14x10 mm 18x13 mm 18x13 mm 18x13 mm	P 07884 P 07885 P 07886 P 07887 P 07888 P 07889	without ring with 1 ring with 2 rings without ring with 1 ring with 2 rings		
<b><u>4610</u></b>		<b>CUP-CHAINS - 4 CLAWS</b>	<b>minimum</b>		
	14x10mm	KS 317/82 /1+/3	<b>10 m</b>	<b>Standard</b>	approx. 82 settings p. m.
<b><u>4616</u></b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>		
	14x10 mm	K 9/30	B+L AK 9/30 / L	4 holes - 2 holes each side	
<b><u>4627</u></b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>		
	27x18,5mm 37x25,5 mm	K 9/22 K 9/40	B+L AK 9/22 / L B+L AK 9/40 / L	4 holes - 2 holes each side 4 holes - 2 holes each side	
<b><u>4627</u></b>		<b>STAMPINGS - FRAMES FOR GLUING</b>			
	27x18,5 mm 27x18,5 mm 27x18,5 mm	P 07920 P 07921 P 07922	without ring with 1 ring with 2 rings		

**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS** closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

**SETTINGS FOR SOLDERING K / B closed back      K / L open back**

**SETTINGS for SEW-ON AK / L open back**

**CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal**

**SWAROVSKI SETTINGS SEW-ON**


**ARTICLE NO. SIZE K / AK /**

## **4650 OPEN FRAMES - 4 CLAWS**



8 mm	K 13/10	L	open back
14 mm	K 13/2	L	open back
18 mm	K 13/3	L	open back

## **4665 SETTINGS - 4 CLAWS**



14 mm	K 13/9	B+L	AK 13/9 / L	4 holes - 2 holes each side
18 mm	K 13/11	B+L	AK 13/11 / L	4 holes - 2 holes each side

## **4671 SETTINGS - 4 CLAWS**



8 mm	K 13/16	B+L	AK 13/16 / L	4 holes - 2 holes each side
10 mm	K 13/15	B+L	AK 13/15 / L	4 holes - 2 holes each side

## **4675 SETTINGS - 4 CLAWS**

23 mm	K 13/12	B+L	AK 13/12 / L	4 holes - 2 holes each side
-------	---------	-----	--------------	-----------------------------



## **4675 STAMPINGS - FRAMES FOR GLUING**



23 mm	P 07917	without ring
23 mm	P 07918	with 1 ring
23 mm	P 07919	with 2 rings

## **4675 OPEN FRAMES - 4 CLAWS**



23 mm	K 13/4	L	open back
-------	--------	---	-----------

## **4676 SETTINGS - 4 CLAWS**

14 mm	K 13/30	B+L	AK 13/30 / L	4 holes - 2 holes each side
-------	---------	-----	--------------	-----------------------------

## **4700 SETTINGS - 4 CLAWS**

6 x 3,5mm	K 14/1	B+L	SEW-ON
-----------	--------	-----	--------

**K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..**

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.**

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b><u>SWAROVSKI</u></b>		<b><u>SETTINGS</u></b>	<b><u>SEW-ON</u></b>
<b>ARTICLE NO.</b>	<b><u>SIZE</u></b>	<b>K /</b>	<b>AK /</b>
<b><u>4710</u></b>		<b><u>SETTINGS - 4 CLAWS</u></b>	<b><u>SEW-ON</u></b>
		8,2x5,5 mm 12x8 mm	K 15/2 K 15/8
			B+L AK 15/2 / L B+L AK 15/8 / L
			2 holes - 1 hole each side 4 holes - 2 holes each side
			
<b><u>4712</u></b>		<b><u>SETTINGS - 4 CLAWS</u></b>	<b><u>SEW-ON</u></b>
		10x5 mm / left 10x5 mm / right 14x7 mm / left 14x7 mm / right	K 17/5 K 17/6 K 17/7 K 17/8
			B+L AK 17/5 / L B+L AK 17/6 / L B+L AK 17/7 / L B+L AK 17/8 / L
			4 holes - 2 holes each side 4 holes - 2 holes each side 4 holes - 2 holes each side 4 holes - 2 holes each side
			
<b><u>4714</u></b>		<b><u>SETTINGS - 4 CLAWS</u></b>	<b><u>SEW-ON</u></b>
		14x7 mm 10x5 mm	K 23/17 K 23/20
			B+L AK 23/17 / L B+L AK 23/20 / L
			4 holes - 2 holes each side 4 holes - 2 holes each side
			
<b><u>4716</u></b>		<b><u>SETTINGS - 4 CLAWS</u></b>	<b><u>SEW-ON</u></b>
		10x8,5 mm	K 22/7
			B+L AK 22/7 L
			4 holes - 2 holes each side
			
<b><u>4717</u></b>		<b><u>STAMPINGS - FRAMES FOR GLUING</u></b>	
		15,5mm 15,5mm 15,5mm	P 08043 P 08044 P 08045
			without ring with 1 ring with 2 rings
		21,5mm 21,5mm 21,5mm	P 08046 P 08047 P 08048
			without ring with 1 ring with 2 rings
			
<b><u>4722</u></b>		<b><u>SETTINGS - 4 CLAWS</u></b>	<b><u>SEW-ON</u></b>
		4 mm 6 mm 8 mm 10 mm	K 23/9 K 23/8 K 23/3 K 23/4
			B+L AK 23/9 L B+L AK 23/8 L B+L AK 23/3 L B+L AK 23/4 L
			2 holes - 1 hole each side 2 holes - 1 hole each side 4 holes - 2 holes each side 4 holes - 2 holes each side
			
<b><u>4722</u></b>		<b><u>STAMPINGS FOR GLUING</u></b>	
		4 mm 6 mm 8 mm	P 07224 P 07225 P 07226
			without ring without ring without ring
			
<b><u>4723</u></b>		<b><u>SETTINGS - 4 CLAWS</u></b>	<b><u>SEW-ON</u></b>
		17 mm	K 23/13
			B+L AK 23/13 L
			4 holes - 2 holes each side
			

**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B** requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.


# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	<b>/ 1 for Bracelet</b>	<b>/ 3 for Necklace</b>	<b>/ 2 horizontal</b>
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b>4727</b>	<b>SETTINGS - 4 CLAWS</b>	<b>23 mm</b>	<b>K 23/10</b>
			<b>B+L AK 23/10 / L</b>
			<b>4 holes - 2 holes each side</b>
<b>4728</b>	<b>SETTINGS - 4 CLAWS</b>		<b>SEW-ON</b>
		<b>8x6 mm</b>	<b>K 22/3</b>
		<b>10x7,5 mm</b>	<b>K 22/4</b>
		<b>14x10,5 mm</b>	<b>K 22/5</b>
		<b>16x12 mm</b>	<b>K 22/6</b>
			<b>B+L AK 22/3 / L</b>
			<b>4 holes - 2 holes each side</b>
			<b>B+L AK 22/4 / L</b>
			<b>4 holes - 2 holes each side</b>
			<b>B+L AK 22/5 / L</b>
			<b>4 holes - 2 holes each side</b>
			<b>B+L AK 22/6 / L</b>
			<b>4 holes - 2 holes each side</b>
<b>4729</b>	<b>SETTINGS - 4 CLAWS</b>	<b>8 mm</b>	<b>K 23/15</b>
			<b>B+L AK 23/15 / L</b>
			<b>4 holes - 2 holes each side</b>
<b>4730</b>	<b>SETTINGS - 6 CLAWS</b>		<b>SEW-ON</b>
		<b>6 mm</b>	<b>K 25/4</b>
		<b>8 mm</b>	<b>K 25/5</b>
		<b>10 mm</b>	<b>K 25/6</b>
		<b>12 mm</b>	<b>K 25/7</b>
			<b>B+L AK 25/4 / L</b>
			<b>4 holes - 2 holes each side</b>
			<b>B+L AK 25/5 / L</b>
			<b>4 holes - 2 holes each side</b>
			<b>B+L AK 25/6 / L</b>
			<b>4 holes - 2 holes each side</b>
			<b>B+L AK 25/7 / L</b>
<b>4739</b>	<b>SETTINGS - 4 CLAWS</b>	<b>14x11 mm</b>	<b>K 23/25</b>
		<b>20x16 mm</b>	<b>K 23/26</b>
			<b>B+L AK 23/25 / L</b>
			<b>4 holes - 2 holes each side</b>
			<b>B+L AK 23/26 / L</b>
			<b>4 holes - 2 holes each side</b>
<b>4739</b>	<b>CUP-CHAINS - 4 CLAWS</b>	<b>14x11mm</b>	<b>KS 1008/78 /3</b>
			<b>minimum</b>
		<b>10 m</b>	<b>Standard</b>
			<b>approx. 78 settings p. m.</b>
<b>a</b>			
<b>b</b>			
<b>4742/4743</b>	<b>SETTINGS - 4 CLAWS</b>		<b>SEW-ON</b>
		<b>12,2x9 mm / left</b>	<b>K 17/1a</b>
		<b>12,2x9 mm / right</b>	<b>K 17/1b</b>
		<b>15,2x11 mm / left</b>	<b>K 17/2a</b>
		<b>15,2x11 mm / right</b>	<b>K 17/2b</b>
		<b>18,6x13,5mm / left</b>	<b>K 17/3a</b>
		<b>18,6x13,5mm / right</b>	<b>K 17/3b</b>
			<b>B+L AK 17/1a / L</b>
			<b>4 holes - 2 holes each side</b>
			<b>B+L AK 17/1b / L</b>
			<b>4 holes - 2 holes each side</b>
			<b>B+L AK 17/2a / L</b>
			<b>4 holes - 2 holes each side</b>
			<b>B+L AK 17/2b / L</b>
			<b>4 holes - 2 holes each side</b>
			<b>B+L AK 17/3a / L</b>
			<b>4 holes - 2 holes each side</b>
			<b>B+L AK 17/3b / L</b>
			<b>4 holes - 2 holes each side</b>

**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B** requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b><u>SWAROVSKI</u></b>		<b><u>SETTINGS</u></b>	<b><u>SEW-ON</u></b>
<b>ARTICLE NO.</b>	<b><u>SIZE</u></b>	<b>K /</b>	<b>AK /</b>
<b>4744</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
			
	6 mm	K 24/8	B+L AK 24/8 / L
	10 mm	K 24/9	B+L AK 24/9 / L
			4 holes - 1 hole each side
			4 holes - 1 hole each side
		<b>STAMPINGS - FRAMES FOR GLUING</b>	
			
	10 mm	P 07990	without ring
	10 mm	P 07991	with 1 ring
<b>4744</b>		<b>CUP-CHAINS - 4 CLAWS</b>	<b>minimum</b>
	10 mm	KS 1007/83 /1	10 m Standard
	10 mm	KS 1007/77 /3	10 m Standard
			approx. 77 settings p. m.
			approx. 83 settings p. m.
<b>4745</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
			
	10 mm	K 24/1	B+L ÅK 24/1 / L
			4 holes - 1 hole each side
		or	
		SS 33/34 round for Swaro 1012/1028	
<b>4745</b>		<b>CUP-CHAINS - 4 CLAWS</b>	<b>minimum</b>
	10 mm	KS 876/84 /3	10 m Standard
			approx. 84 settings p. m.
		Attention: wire out of the middle, for necklace only	
<b>4748</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	10mm	K 24/10	B+L AK 24/10 / L
			4 holes - 1 hole each side
<b>4748</b>		<b>STAMPINGS - FRAMES FOR GLUING</b>	
			
	10mm	P 08073	without ring
	10mm	P 08074	with 1 ring
<b>4756 FLAT</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
			
	19x11,5 mm	K 23/28	B+L AK 23/28 / L
	27x16mm	K 23/32	B AK 23/32 / B
	39x23,5mm	K 23/33	B AK 23/33 / B
			8 holes - 4 holes each side
			8 holes - 4 holes each side
			4 holes - 2 holes each side
<b>4756</b>		<b>STAMPINGS - FRAMES FOR GLUING</b>	
			
	19x11,5mm	P 07911	without ring
	19x11,5mm	P 07912	with 1 ring
	19x11,5mm	P 07913	with 2 rings
	27x16 mm	P 07878	without ring
	27x16 mm	P 07879	with 1 ring
	27x16 mm	P 07880	with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b>4757</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	14x8,5 mm	K 23/27	B+L AK 23/27 / L 4 holes - 2 holes each side
	19x11,5 mm	K 23/28	B+L AK 23/28 / L 4 holes - 2 holes each side
<b>4757</b>		<b>STAMPINGS - FRAMES FOR GLUING</b>	
	19x11,5 mm	P 07874	without ring
	19x11,5 mm	P 07875	with 1 ring
	19x11,5mm	P 07876	with 2 rings
<b>4759</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	28x24 mm	K 23/34	B AK 23/34 /B 8 holes - 4 holes each side
<b>4759</b>		<b>STAMPINGS - FRAMES FOR GLUING</b>	
	28x24 mm	P 07992	without ring
	28x24 mm	P 07993	with 1 ring
	28x24 mm	P 07994	with 2 rings
<b>4760</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	14x8mm	K 23/39	B+L AK 23/39 / L 4 holes - 2 holes each side
	18x10,6mm	K 23/40	B+L AK 23/40 / L 4 holes - 2 holes each side
<b>4787</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	19x13 mm	K 23/35	B AK 23/35 /B 8 holes
<b>4790</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	18x7,5mm	K 23/37	B+L AK 23/37 / L 4 holes - 2 holes each side
	23x10mm	K 23/38	B+L AK 23/38 / L 4 holes - 2 holes each side
	32x13,5 mm	K 23/36	B+L AK 23/36 / L 4 holes - 2 holes each side
<b>4790</b>		<b>STAMPINGS - FRAMES FOR GLUING</b>	
	18x7,5mm	P 08028	without ring
	18x7,5mm	P 08029	with 1 ring
	18x7,5mm	P 08030	with 2 rings

**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B** requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	<b>/ 1 for Bracelet</b>	<b>/ 3 for Necklace</b>	<b>/ 2 horizontal</b>
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>

**4790****STAMPINGS - FRAMES FOR GLUING**

23x10mm	P 08025	without ring
23x10mm	P 08026	with 1 ring
23x10mm	P 08027	with 2 rings
32x13,5 mm	P 08019	without ring
32x13,5 mm	P 08020	with 1 ring
32x13,5 mm	P 08021	with 2 rings

**4795****SETTINGS - 4 CLAWS**

19x14,4mm	**	K 7/10 - 20x15mm	B+L	AK 7/10 / L	4 holes - 2 holes each side
28x21mm	**	K 7/12 - 30x22mm	B+L	AK 7/12 / L	4 holes - 2 holes each side

**\*\* please ask for samples before ordering !!****4800****SETTINGS - 4 CLAWS**

5,5x5 mm	K 16/13
6,6x6 mm	K 16/14
8,8x8 mm	K 16/1
10x9 mm	K 16/2
11x10 mm	K 16/16
15,4x14 mm	K 16/17
18,5x17 mm	K 16/18

**SEW-ON**

B+L	AK 16/13 / L	2 holes - 1 hole each side
B+L	AK 16/14 / L	4 holes - 2 holes each side
B+L	AK 16/1 / L	4 holes - 2 holes each side
B+L	AK 16/2 / L	4 holes - 2 holes each side
B+L	AK 16/16 / L	4 holes - 2 holes each side
B+L	AK 16/17 / L	4 holes - 2 holes each side
B+L	AK 16/18 / L	4 holes - 2 holes each side

**4800****SETTINGS - 4 CLAWS**

10x9 mm	K 70/15
---------	---------

**with ring**

B+L

**4800****STAMPINGS - FRAMES FOR GLUING**

8,8x8 mm	P 07746	without ring
8,8x8 mm	P 07747	with 1 ring
8,8x8 mm	P 07748	with 2 rings
11x10 mm	P 07743	without ring
11x10 mm	P 07744	with 1 ring
11x10 mm	P 07745	with 2 rings

**4800****STAMPINGS - FRAMES FOR GLUING**

15,4x14mm	P 07890	without ring
15,4x14mm	P 07891	with 1 ring
15,4x14mm	P 07892	with 2 rings

**4800****STAMPINGS FOR GLUING**




8,8x8 mm	P 07389	without ring
8,8x8 mm	P 07390	with 1 ring
11x10 mm	P 07391	without ring
11x10 mm	P 07392	with 1 ring

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	<b>K / B closed back</b>	<b>K / L open back</b>
<b>SETTINGS</b>	<b>for SEW-ON</b>	<b>AK / L open back</b>	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>
<b>4803/4805</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	9x6 mm / right	K 18/1	B+L AK 18/1 / L
	9x6 mm / left	K 18/2	B+L AK 18/2 / L
	12x8 mm / right	K 18/3	B+L AK 18/3 / L
	12x8 mm / left	K 18/4	B+L AK 18/4 / L
	15x10 mm / right	K 18/5	B+L AK 18/5 / L
	15x10 mm / left	K 18/6	B+L AK 18/6 / L
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
<b>4817</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	15,4x14 mm	K 16/17	B+L AK 16/17 / L
			4 holes - 2 holes each side
<b>4818</b>		<b>STAMPINGS FOR GLUING</b>	
	10,3x10 mm	P 07439	without ring
	10,3x10 mm	P 07440	with ring
<b>4819</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	15x11 mm	K 23/24	B+L
<b>4822</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	14x11 mm	K 16/19	B+L AK 16/19 / L
			4 holes - 2 holes each side
<b>4827</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	28 mm	K 16/12	B+L AK 16/12 / L
			4 holes - 2 holes each side
<b>4831</b>		<b>SETTINGS - 4 CLAWS</b>	<b>SEW-ON</b>
	5,5x5 mm	K 16/13	B+L AK 16/13 / L
	6,6x6 mm	K 16/14	B+L AK 16/14 / L
	8,8x8 mm	K 16/1	B+L AK 16/1 / L
	11x10 mm	K 16/16	B+L AK 16/16 / L
			2 holes - 1 hole each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side

**K / B+L and AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B** requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

<b>SETTINGS</b>	<b>FOR SOLDERING</b>	K / B closed back	K / L open back
<b>SETTINGS</b>	<b>for SEW-ON</b>	AK / L open back	
<b>CUP-CHAINS</b>	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<b>SWAROVSKI</b>		<b>SETTINGS</b>	<b>SEW-ON</b>
<b>ARTICLE NO.</b>	<b>SIZE</b>	<b>K /</b>	<b>AK /</b>

## 4840



### SETTINGS

	<b>MILLGRAIN</b>
4 mm	K 85/1
6 mm	K 85/2
8 mm	K 85/3
10 mm	K 85/4
12 mm	K 85/5
14 mm	K 85/6

## 4841



### SETTINGS

	<b>MILLGRAIN</b>
4 mm	K 86/19
6 mm	K 86/7
8 mm	K 86/8
10 mm	K 86/9

### SETTINGS

### MILLGRAIN

## 4842 / 4mm

6 mm	K 86/7	B	please ask for samples before ordering
8 mm	K 86/8	B	please ask for samples before ordering

## 4842 / 6mm



## 4854



### SETTINGS - 4 CLAWS

8 mm	K 12/3	B+L	AK 12/3 / L
10 mm	K 12/4	B+L	AK 12/4 / L




## 4854



### SETTINGS

	<b>MILLGRAIN</b>		<b>PLAIN</b>
6 mm	K 85/2	B	
8 mm	K 85/3	B	
10 mm	K 85/4	B	


## 4866



### STONE SIZE

	<b>SETTING</b>	<b>SIZE</b>	<b>MILLGRAIN</b>
6 mm		5 mm	K 80/3
8 mm		6 mm	K 80/4
14 mm		12 mm	K 80/10

## 4869



### STONE SIZE

	<b>SETTING</b>	<b>SIZE</b>	<b>MILLGRAIN</b>
4 mm		3 mm	B K 80/1
6 mm		5 mm	B K 80/3
8 mm		6 mm	B K 80/4
10 mm		8 mm	B K 80/6
12 mm		10 mm	B K 80/8
14 mm		12 mm	B K 80/10

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.

# List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

**SETTINGS FOR SOLDERING K / B closed back      K / L open back**

**SETTINGS for SEW-ON AK / L open back**

**CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal**

**SWAROVSKI SETTINGS SEW-ON**

**ARTICLE NO. SIZE K / AK /**

**4884**



### **SETTINGS - 4 CLAWS**

5,5x5 mm	K 16/13
6,6x6 mm	K 16/14
8,8x8 mm	K 16/1
11x10 mm	K 16/16
15,4x14 mm	K 16/17

B+L	AK 16/13 / L	2 holes - 1 hole each side
B+L	AK 16/14 / L	4 holes - 2 holes each side
B+L	AK 16/1 / L	4 holes - 2 holes each side
B+L	AK 16/16 / L	4 holes - 2 holes each side
B+L	AK 16/17 / L	4 holes - 2 holes each side

**4889**

### **LETTERS FOR GLUING**

#### **Stamping A - Z**

8 mm	P 07200
8 mm	P 07201

without ring  
with 1 ring



**4916**

### **SETTINGS - 4 CLAWS**



14 mm	K 16/30
-------	---------

### **SEW-ON**

B+L	AK 16/30 / L	4 holes - 2 holes each side
-----	--------------	-----------------------------

**5817**

### **SETTINGS**

6 mm	K 80/71	B
8 mm	K 80/24	B
10 mm	K 80/25	B
12 mm	K 80/26	B
14mm	K 80/34	B
16 mm	K 80/35	B

### **PLAIN**

K 80/40
---------

please  
try  
samples  
before  
ordering



**K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..**

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.  
- exceeding 20mm diam. 1.500 pcs.**