

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
1012/1028			
SETTINGS - 4 CLAWS			
	PP 17	K 1/1	B
	PP 23 / SS 11	K 1/2	B
	PP 27 / SS 13	K 1/4	B+L AK 1/4 / L
	PP 29 / SS 14/15	K 1/6	B+L AK 1/6 / L
	PP 32/33 / SS 17	K 1/7	B+L AK 1/7 / L
	SS 18/19	K 1/9	B+L AK 1/9 / L
	SS 21	K 1/21	B
	SS 22	K 1/22	B+L AK 1/22 / L
	SS 24/25	K 1/11	B+L AK 1/11 / L
	SS 29/30 / 6 mm	K 1/13	B+L AK 1/13 / L
	SS 29/30 / 6 mm		AK 1/51 / L
	SS 31	K 1/53	B+L AK 1/53 / L
	SS 34 / 7 mm	K 1/14	B+L AK 1/14 / L
	SS 39	K 1/15	B+L AK 1/15 / L
	SS 45 / 10 mm	K 1/16	B+L AK 1/16 / L
	SS 47 and SS 48	K 1/17	B+L AK 1/17 / L
			length of claws ca. 2,7mm
	SS47/48	K 1/70	B length of claws ca. 3,2mm
	SS 50	K 1/18	B+L AK 1/18 / L
	SS 59	K 1/20	B+L AK 1/20 / L
1012/1028			
SEW-ON settings for rubber straps and other			
	SS 39	B+L AK 1/15/2 mm	4 holes - 2 holes each side
	SS 50	B+L AK 1/18/2 mm	4 holes - 2 holes each side
	SS 59	B+L AK 1/20/2 mm	4 holes - 2 holes each side
1012/1028			
SETTINGS - 6 CLAWS			
	SS 29/30 / 6 mm	K 25/1	B+L
	SS 34 / 7 mm	K 25/2	B+L AK 25/2 / L
	SS 39	K 25/3	B+L AK 25/3 / L
1012/1028			
SETTINGS FRENCH			
	SS 12	K 40/1	B+L
	SS 13 max. SS 15	K 40/2	B+L
	SS 18 max. SS 20	K 40/3	B+L
	SS 23 max. SS 25	K 40/4	B+L
	SS 28 max. SS 30	K 40/5	B+L AK 40/5 / L
	SS 33 max. SS 35	K 40/6	B+L
	SS 38 max. SS 40	K 40/8	B+L
	SS 43 max. SS 45	K 40/9	B+L AK 40/9 / L
	SS 46 max. SS 48	K 40/10	B+L AK 40/10 / L
	SS 57 max. SS 60	K 40/12	B+L AK 40/12 / L
	ca. 16 mm	K 40/13	B+L
	ca. 18 mm	K 40/14	B+L

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS FOR SOLDERING K / B closed back K / L open back

SETTINGS for SEW-ON AK / L open back

CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI SETTINGS SEW-ON

ARTICLE NO. SIZE K / AK /

1012/1028 SETTINGS - 4 CLAWS



SS 20	K 70/1	B	with 1 ring
SS 30	K 70/2	B	with 1 ring
SS 29/30 / 6 mm	K 70/107	B+L	with 1 ring
SS 29/30 / 6 mm	K 70/108	B+L	with 2 rings
SS 39	K 70/111	B+L	with 1 ring
SS 39	K 70/112	B+L	with 2 rings

1012/1028 SETTINGS WITH FLOWER STAMPINGS



SS 14/15 BL 01120/302 settings linked through the middle for sew-on
BL 0465/302

SS 18/19 BL 01270/301
BL 01121/301



BL 0464/301
BL 01890/301
BL 01197/301



SS 24/25 BL 0489/303
BL 01196/303

FLOWER IS BACK



BL 01122/303
BL 01891/303
BL 01232/303



SS 29/30 BL 0489/300
BL 01196/300
BL 01891/300
BL 01232/300
BL 01267/300

1012/1028 STAMPINGS - FRAMES FOR GLUING



SS 29	P 07937	without ring
SS 29	P 07938	with 1 ring
SS 29	P 07939	with 2 rings
SS 39	P 07490/SS39	without ring
SS 39	P 07858/SS39	with 1 ring
SS 39	P 07859/SS39	with 2 rings
SS 47	P 07490/SS47	without ring
SS 60	P 07490/SS60	without ring
SS 60	P 8008	with 1 ring
SS 60	P 08009	with 2 rings

1012/1028 STAMPINGS FOR GLUING



SS18/19 P 07031 without ring
SS18/19 P 07032 with 1 ring



SS24/25 P 07033 without ring
SS24/25 P 07034 with 1 ring



SS29 P 07035 without ring
SS29 P 07036 with 1 ring



SS47 P 07464 without ring
SS47 P 07465 with 1 ring

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.**

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
1012/1028		CUP-CHAINS - 4 CLAWS	minimum



SS 18/19	KS 301/1/140	<u>10 m</u>	Standard	approx. 140 settings p. m.
SS 24/25	KS 303/136 /1+/3	<u>10 m</u>	Standard	approx. 136 settings p. m.
SS 29/30 / 6mm	KS 300/117 /1+/3	<u>10 m</u>	Standard	approx. 117 settings p. m.
SS 29/30 / 6mm	KS 300/78 /1+/3		min. 25 meter	approx. 78 settings p. m.
SS 29/30 / 6mm	KS 300/69 /1+/3		min. 25 meter	approx. 69 settings p. m.
SS 29/30 / 6mm	KS 300/60 /1+/3		min. 25 meter	approx. 60 settings p. m.
SS 29/30 / 6mm	KS 300/48 /1+/3		min. 25 meter	approx. 48 settings p. m.
SS 29/30 / 6mm	KS 300/44 /1+/3		min. 25 meter	approx. 40 settings p. m.
SS 34	KS 330/117 /1+/3	<u>10 m</u>	Standard	approx. 117 settings p. m.
SS 39	KS 331/102 /1+/3	<u>10 m</u>	Standard	approx. 102 settings p. m.
SS 45 / 10mm	KS 332/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
SS 47 and SS 48	KS 339/75 /1+/3	<u>10 m</u>	Standard	approx. 75 settings p. m.
			length of claws ca. 2,7mm	
SS 47/48	KS 1017/75 /1+/3	<u>10 m</u>	Standard	approx. 75 settings p. m.
			length of claws ca. 3,2mm	
SS 50	KS 333/74 /1+/3	<u>10 m</u>	Standard	approx. 74 settings p. m.
SS 59	KS 794/66 /1+/3	<u>10 m</u>	Standard	approx. 66 settings p. m.

1012/1028	CUP-CHAINS - 6 CLAWS	minimum
------------------	-----------------------------	----------------



SS29/30 / 6 mm	KS 386/115 /1+/3	<u>10 m</u>	Standard	approx. 115 settings p. m.
----------------	------------------	-------------	----------	----------------------------

1012/1028	CUP-CHAINS - FRENCH	minimum
------------------	----------------------------	----------------



SS 28 max. SS 30	KS 606/115 /1+/3	<u>10 m</u>	Standard	approx. 115 settings p. m.
------------------	------------------	-------------	----------	----------------------------

1012/1028	SETTINGS WITH 1 MOVABLE RIVETED LOOP
------------------	---



SS 29/30 / 6mm	KBK 1/13/1	B
SS 39	KBK 1/15/1	B
SS 47 and SS 48	KBK 1/17/1	B

1012/1028	SETTINGS WITH 2 MOVABLE RIVETED LOOPS
------------------	--



SS 29/30 / 6mm	KBK 1/13/2	B
SS 39	KBK 1/15/2	B
SS 47 and SS 48	KBK 1/17/2	B

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING K / B closed back K / L open back

SETTINGS for SEW-ON AK / L open back

CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI SETTINGS **SEW-ON**

ARTICLE NO. **SIZE** **K /** **AK /**

1012/1028 SETTINGS WITH SPECIAL STAMPED LOOP



/1 with one movable riveted loop

SS 47 and SS 48 KBL 1/17/1 B

1012/1028 SETTINGS WITH SPECIAL STAMPED LOOP



/2 with two movable riveted loop

SS 47 and SS 48 KBL 1/17/2 B

1012/1028 EAR-POST TITANIUM fusion weld

+ setting with scroll loose



SS 29/30 / 6mm M 16388/1/13

SS 39 M 16388/1/15

SS 47 and SS 48 M 16388/1/17

1012/1028 EAR-POST TITANIUM fusion weld

+ setting with movable ring riveted



SS 29/30 / 6mm M 16400/1/13

SS 39 M 16400/1/15

1012/1028 SETTINGS with 2 prongs on bottom



SS 60 KSPS 1/18 length of prongs 7 mm
KSPL = bigger settings: length of prongs: 10 mm

1012/1028 BUTTON



SS 29/30 / 6mm KNK 1/13
SS 47 and SS 48 KNK 1/17

1012/1028 SETTINGS with rectangular slit 0,8x1,3mm in the wall



Slit = 0,8 x 1,3 mm

SS 29/30 / 6mm K 300/1 + /3
SS 39 K 331/1 + /3
SS 47 and SS 48 K 339/1 + /3

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.**

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

1088**XIRIUS Chaton****SETTINGS - 4 CLAWS**

PP 17	K 1/1	B	
PP 23	K 1/2	B	
PP 27	K 1/4	B+L	AK 1/4 / L 4 holes - 1 hole each side
PP 29	K 1/6	B+L	AK 1/6 / L 4 holes - 1 hole each side
PP 32	K 1/7	B+L	AK 1/7 / L 4 holes - 1 hole each side
SS 18/19	K 1/9	B+L	AK 1/9 / L 4 holes - 1 hole each side
SS 21	K 1/21	B	
SS 22	K 1/22	B+L	AK 1/22 / L 4 holes - 1 hole each side
SS 24	K 1/11	B+L	AK 1/11 / L 4 holes - 1 hole each side
SS 29/30	K 1/13	B+L	AK 1/13 / L 4 holes - 1 hole each side
SS 29/30			AK 1/51 / L 4 holes - 2 holes each side
SS 34	K 1/14	B+L	AK 1/14 / L 4 holes - 2 holes each side
SS 39	K 1/15	B+L	AK 1/15 / L 4 holes - 2 holes each side
SS 45	K 1/16	B+L	AK 1/16 / L 4 holes - 2 holes each side
SS 48	K 1/17	B+L	AK 1/17 / L 4 holes - 2 holes each side
length of claws ca. 2,7mm			
SS 48	K 1/70	B+L	AK 1/17 / L 4 holes - 2 holes each side
length of claws ca. 3,2mm			
SS 50	K 1/18	B+L	AK 1/18 / L 4 holes - 2 holes each side

1088**SEW-ON settings for rubber straps and other**

SS 39	B+L	AK 1/15/2 mm	4 holes - 2 holes each side
SS 50	B+L	AK 1/18/2 mm	4 holes - 2 holes each side

1088**SETTINGS - 6 CLAWS**

SS 29	K 25/1	B+L	
SS 34	K 25/2	B+L	AK 25/2 / L 4 holes - 2 holes each side
SS 39	K 25/3	B+L	AK 25/3 / L 4 holes - 2 holes each side

1088**SETTINGS FRENCH**

PP27 max. PP29	K 40/2	B+L	
SS 18/19	K 40/3	B+L	
SS 24	K 40/4	B+L	
SS 29	K 40/5	B+L	AK 40/5 / L 4 holes - 1 hole each side
SS 34	K 40/6	B+L	
SS 39	K 40/8	B+L	
SS 45	K 40/9	B+L	AK 40/9 / L 4 holes - 2 holes each side
SS 48	K 40/10	B+L	AK 40/10 / L 4 holes - 2 holes each side

1088**SETTINGS - 4 CLAWS****with ring**

SS 29	K 70/107	B+L	with 1 ring
SS 29	K 70/108	B+L	with 2 rings
SS 39	K 70/111	B+L	with 1 ring
SS 39	K 70/112	B+L	with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.**

List of SWAROVSKI-Number and corresponding JOSEF BERGS references
23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

1088

SETTINGS WITH FLOWER STAMPINGS

settings linked through the middle for sew-on



PP 29 BL 01120/302



SS 18/19 BL 0465/302



BL 01270/301



BL 01121/301



BL 0464/301



BL 01890/301



BL 01197/301

FLOWER IS BACK

SS 24 BL 0489/303

BL 01196/303

BL 01122/303

BL 01891/303

BL 01232/303

BL 01267/303

SS 29 BL 0489/300

BL 01196/300

BL 01891/300

BL 01232/300

BL 01267/300

1088

STAMPINGS - FRAMES FOR GLUING



SS 29 P 07937 without ring



SS 29 P 07938 with 1 ring



SS 29 P 07939 with 2 rings



SS 39 P 07490/SS39 without ring



SS 39 P 07868/SS39 with 1 ring



SS 39 P 07869/SS39 with 2 rings

1088

STAMPINGS FOR GLUING



SS 19 P 07031 without ring



SS 19 P 07032 with 1 ring



SS 24 P 07033 without ring



SS 24 P 07034 with 1 ring

1088

CUP-CHAINS - 4 CLAWS minimum



SS 18/19	KS 301/1/140	10 m	Standard	approx. 140 settings p. m.
SS 24	KS 303/136 /1+/3	10 m	Standard	approx. 136 settings p. m.
SS 29/30	KS 300/117 /1+/3	10 m	Standard	approx. 117 settings p. m.
SS 29/30	KS 300/78 /1+/3		min. 25 meter	approx. 78 settings p. m.
SS 29/30	KS 300/69 /1+/3		min. 25 meter	approx. 69 settings p. m.
SS 29/30	KS 300/60 /1+/3		min. 25 meter	approx. 60 settings p. m.
SS 29/30	KS 300/48 /1+/3		min. 25 meter	approx. 48 settings p. m.
SS 29/30	KS 300/44 /1+/3		min. 25 meter	approx. 40 settings p. m.

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.**

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back	
SETTINGS	for SEW-ON	AK / L open back		
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal	
SWAROVSKI		SETTINGS	SEW-ON	
ARTICLE NO.	SIZE	K /	AK /	
<u>1088</u>				
		CUP-CHAINS - 4 CLAWS	minimum	
	SS 34	KS 330/117 /1+/3	<u>10 m</u> Standard approx. 117 settings p. m.	
	SS 39	KS 331/102 /1+/3	<u>10 m</u> Standard approx. 102 settings p. m.	
	SS 45	KS 332/84 /1+/3	<u>10 m</u> Standard approx. 84 settings p. m.	
	SS 48	KS 339/76 /1+/3	<u>10 m</u> Standard approx. 76 settings p. m.	
		length of claws ca. 2,7mm		
	SS 48	KS 1017/75 /1+/3	<u>10 m</u> Standard approx. 76 settings p. m.	
		length of claws ca. 3,2mm		
	SS 60	KS 333/74 /1+/3	<u>10 m</u> Standard approx. 74 settings p. m.	
<u>1088</u>		CUP-CHAINS - 6 CLAWS	minimum	
				
	SS 29	KS 386/115 /1+/3	<u>10 m</u> Standard approx. 115 settings p. m.	
<u>1088</u>		CUP-CHAINS - FRENCH	minimum	
				
	SS 29	KS 606/115 /1+/3	<u>10 m</u> Standard approx. 115 settings p. m.	
<u>1088</u>		SETTINGS WITH 1 MOVABLE RIVETED LOOP		
		SS 29/30	KBK 1/13/1 B	
		SS 39	KBK 1/15/1 B	
		SS 48	KBK 1/17/1 B	
<u>1088</u>		SETTINGS WITH 2 MOVABLE RIVETED LOOPS		
		SS 29/30	KBK 1/13/2 B	
		SS 39	KBK 1/15/2 B	
		SS 48	KBK 1/17/2 B	
<u>1088</u>		SETTINGS WITH SPECIAL STAMPED LOOP		
		<u>/1 with one movable riveted loop</u>		
		SS 48	KBL 1/17/1 B	
<u>1088</u>		SETTINGS WITH SPECIAL STAMPED LOOP		
		<u>/2 with two movable riveted loop</u>		
		SS 48	KBL 1/17/2 B	

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal

SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

1088 EAR-POST TITANIUM fusion weld**+ setting with scroll loose**

SS 29/30	M 15388/1/13
SS 39	M 15388/1/15
SS 48	M 15388/1/17

1088 EAR-POST TITANIUM fusion weld**+ setting with movable ring riveted**

SS 29/30	M 15400/1/13
SS 39	M 15400/1/15

1088 BUTTON

SS 29/30	KNK 1/13
SS 48	KNK 1/17

1088 SETTINGS with rectangular slit 0,8x1,3mm in the wall

SS 29/30	K 300/1 + /3
SS 39	K 331/1 + /3
SS 48	K 339/1 + /3

1122**SETTINGS - 4 CLAWS**

SS 37 + 8 mm	K 2/6
SS 39 ** NEW **	K 2/24
SS 45 + 10 mm	K 2/7
SS 47 + 11 mm	K 2/1
SS 50 + 12 mm	K 2/8
SS 58 + 14 mm	K 2/2
SS 65 + 16 mm	K 2/9
SS 75 + 18mm	K 2/10

SEW-ON

B+L AK 2/6 / L	4 holes - 2 holes each side
B+L AK 2/24 / L	4 holes - 2 holes each side
B+L AK 2/7 / L	4 holes - 2 holes each side
B+L AK 2/1 / L	4 holes - 2 holes each side
B+L AK 2/8 / L	4 holes - 2 holes each side
B+L AK 2/2 / L	4 holes - 2 holes each side
B+L AK 2/9 / L	4 holes - 2 holes each side
B+L AK 2/10 / L	4 holes - 2 holes each side

1122**SETTINGS - 4 CLAWS**

20 mm - hight of wall	
6,6mm	K 2/13
20 mm - hight of wall	
4,6mm NEW	K 2/23
25 mm	K 2/11

SEW-ON

B+L AK 2/13 / L	4 holes - 2 holes each side
B+L AK 2/23 / L	4 holes - 2 holes each side
B+L AK 2/11 / L	4 holes - 2 holes each side

1122**SETTINGS**

8 mm	K 80/30	B
10 mm	K 80/31	B
11 mm	K 80/39	B
12 mm	K 80/32	B
14 mm	K 80/33	B
16 mm	K 80/67	B
18 mm	K 80/68	B

MILLGRAIN**K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..****AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.**

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

1122**STAMPINGS - FRAMES FOR GLUING**

SS 39	P 07620/SS39	without ring	
SS 39	P 08004	with 1 ring	
SS 39	P 08005	with 2 rings	
SS 47	P 07620/SS47	without ring	
SS 47	P 07675	with 1 ring	plain
SS 47	P 07860	with 1 ring	grained
SS 47	P 07676	with 2 rings	plain
SS 47	P 07861	with 2 rings	grained
SS 60	P 07620/SS60	without ring	
SS 60	P 08006	with 1 ring	
SS 60	P 08007	with 2 rings	
18 mm	P 07998	without ring	
18 mm	P 07999	with 1 ring	
18 mm	P 08000	with 2 rings	

1122**CUP-CHAINS - 4 CLAWS**

SS 45 + 10 mm	KS 1000/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
SS 50 + 12 mm	KS 1001/74 /1+/3	<u>10 m</u>	Standard	approx. 74 settings p. m.
SS 58 + 14 mm	KS 793/66 /1+/3	<u>10 m</u>	Standard	approx. 66 settings p. m.
20mm	KS 1009/43 /1+/3	<u>25 m</u>	Standard	approx. 43 settings p. m.

1200**SETTINGS - 4 CLAWS**

SS 47 + 11 mm	K 2/1	B+L	AK 2/1 L	4 holes - 2 holes each side
SS 59 HIGH WALL	K 1/20	B+L	AK 1/20 / L	4 holes - 2 holes each side

1200**CUP-CHAINS - 4 CLAWS**

SS 59 HIGH WALL	KS 794/66 /1+/3	<u>10 m</u>	Standard	approx. 66 settings p. m.
-----------------	-----------------	-------------	----------	---------------------------

1201**SETTINGS - 4 CLAWS**

27 mm	K 2/16	B+L	AK 2/16 / L	4 holes - 2 holes each side
35 mm	K 2/40	B+L	AK 2/40 / L	4 holes - 2 holes each side

**1201****OPEN FRAMES - 4 CLAWS**

27 mm	K 2/5	L	open back
-------	-------	---	-----------




K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

1201**STAMPINGS - FRAMES FOR GLUING**

27 mm	P 07908	without ring
27 mm	P 07909	with 1 ring
27 mm	P 07910	with 2 rings
35 mm	P 07987	without ring
35 mm	P 07988	with 1 ring
35 mm	P 07989	with 2 rings

1300/1357**SETTINGS - 4 CLAWS**

SS 17	K 1/7
SS 29	K 1/13
SS 29	
SS 39	K 1/15
SS 45	K 1/16

SEW-ON


B+L	AK 1/7 / L	4 holes - 1 hole each side
B+L	AK 1/13 / L	4 holes - 1 hole each side
	AK 1/51 / L	4 holes - 2 holes each side
B+L	AK 1/15 / L	4 holes - 2 holes each side
B+L	AK 1/16 / L	4 holes - 2 holes each side

2006**SETTINGS - 4 CLAWS**

10 mm	K 2/7
12 mm	K 2/8
14 mm	K 2/2
16 mm	K 2/9

SEW-ON

B+L	AK 2/7	4 holes - 2 holes each side
B+L	AK 2/8	4 holes - 2 holes each side
B+L	AK 2/2	4 holes - 2 holes each side
B+L	AK 2/9	4 holes - 2 holes each side

2000/2006**SETTINGS**

10 mm millgrain	K 80/8	MILLGRAIN	PLAIN
10 mm plain		B	K 80/58
12 mm millgrain	K 80/10	B	
12 mm plain		B	K 80/59

2000/2006**SETTINGS**

14 mm millgrain	K 80/13	MILLGRAIN	PLAIN
14 mm millgrain	AK 80/13 / B	B	
14 mm plain		B	K 80/60
16 mm millgrain	K 80/15	B	
16 mm plain		B	K 80/61

4 holes in bottom

2020**SETTINGS**

8 mm millgrain	K 80/6	MILLGRAIN	PLAIN
8 mm plain		B	K 80/48
10 mm millgrain	K 80/8	B	
10 mm plain		B	K 80/58
12 mm millgrain	K 80/10	B	
12 mm plain		B	K 80/59
16 mm millgrain	K 80/15	B	
16 mm plain		B	K 80/61

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS FOR SOLDERING K / B closed back K / L open back

SETTINGS for SEW-ON AK / L open back

CUP-CHAINS / 1 for Bracelet / 3 for Necklace

SWAROVSKI SETTINGS

ARTICLE NO. SIZE K /

2028 SETTINGS for SEW-ON

Xilion Rose



SS 13	AK 1/42	with cross on backside
SS 16	AK 1/26	with cross on backside
SS 18	AK 1/27	with cross on backside
SS 20	AK 1/28	with cross on backside
SS 24	AK 1/29	with cross on backside
SS 30	AK 1/30	with cross on backside
SS 34	AK 1/31	with cross on backside
SS 40	AK 1/39	with cross on backside
SS 43	AK 1/33	with cross on backside
SS 48	AK 1/40	with cross on backside

2028 Xilion Rose



SETTINGS for TEXTILE / LEATHER

SS 16	K 1/60 / L
SS 20	K 1/56 / L
SS 25	K 1/62 / L
SS 30	K 1/57 / L
SS 34	K 1/63 / L
SS 40	K 1/58 / L

**"Tiffany Settings" grained
material: BRASS MS 63**

2030



SETTINGS MILLGRAIN PLAIN

20 mm	K 80/17	B
30 mm	K 80/49	B


2035

SETTINGS MILLGRAIN PLAIN

20 mm	K 80/17	B
30 mm	K 80/49	B

**Please ask for samples
before ordering !!!**

2072



SETTINGS MILLGRAIN PLAIN

8 mm millgrain	K 80/6	B
8 mm plain		B
10 mm millgrain	K 80/8	B
10 mm plain		B
12 mm millgrain	K 80/10	B
12 mm plain		B

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.**

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<u>SWAROVSKI</u>		<u>SETTINGS</u>	<u>SEW-ON</u>
ARTICLE NO.	SIZE	K /	AK /
<u>2090/4</u>	SETTINGS	MILLGRAIN	PLAIN
	2 mm millgrain	K 80/73	B
	3 mm millgrain	K 80/1	B
	4 mm millgrain	K 80/2	B
	5 mm millgrain	K 80/3	B
	5 mm plain		K 80/56
	6 mm millgrain	K 80/4	B
	6 mm plain		K 80/47
	7 mm millgrain	K 80/5	B
	8 mm millgrain	K 80/6	B
	8 mm plain		K 80/48
	10 mm millgrain	K 80/8	B
	10 mm plain		K 80/58
	12 mm millgrain	K 80/10	B
	12 mm plain		K 80/59
	14 mm millgrain	K 80/13	B
	14 mm plain		K 80/60

2110/2 / 2190/4 / 2796/4

	SETTINGS	MILLGRAIN	PLAIN
	6x4 mm millgrain	K 83/36	B
	6x4 mm plain		K 83/30
	8x6 mm millgrain	K 83/2	B
	8x6 mm plain	K 83/21	B
	10x8 mm millgrain	K 83/3	B
	10x8 mm plain		K 83/22
	14x10 mm millgrain	K 83/5	B

2110/2 / 2190/4 / 2796/4

	SETTINGS		
	14x10 mm millgrain	AK 83/5 tu	B with tunnel on the backside of SEWING
	14x10 mm plain		B K 83/27
	18x13 mm millgrain	K 83/7	B
	18x13mm millgrain	AK 83/7	B with tunnel on the backside of SEWING
	18x13 mm plain		B K 83/24

2200/2



	SETTINGS	MILLGRAIN	PLAIN
	8x4 mm millgrain	K 81/1	B

2300/2 +



2390/4

	SETTINGS	MILLGRAIN	PLAIN
	8x4,8 mm millgrain	K 82/1	B
	10x6 mm millgrain	K 82/5	B

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
<u>2400</u>	SETTINGS	MILLGRAIN	
	4 mm millgrain	K 85/1	B
	6 mm millgrain	K 85/2	B
	8 mm millgrain	K 85/3	B
	10 mm millgrain	K 85/4	B
	12 mm millgrain	K 85/5	B
<u>2415</u>	SETTINGS	MILLGRAIN	
	4 mm millgrain	K 85/1	B
<u>2483</u>	SETTINGS - 4 CLAWS		SEW-ON
	25 mm	K 12/25	B+L AK 12/25 / L 4 holes / 1 hole each side
			ATTENTION: stone can only be set after SEW-ON!
<u>2483</u>	SETTINGS	MILLGRAIN	PLAIN
	10mm millgrain	K 85/4	B
<u>2493</u>	SETTINGS - 4 CLAWS		SEW-ON
	8 mm **	K 12/3	B+L AK 12/3 4 holes / 2 holes each side
	10 mm **	K 12/4	B+L AK 12/4 4 holes / 2 holes each side
	20 mm	K 12/21	B AK 12/21 8 holes / 2 holes each side
	30 mm	K 12/22	B AK 12/22 8 holes / 2 holes each side
			** Please ask for samples before ordering!
<u>2493</u>	SETTINGS		
	8 mm millgrain	K 85/3	B please ask for sample
	10 mm millgrain	K 85/4	B please ask for sample
	12 mm millgrain	K 85/5	B please ask for sample
	20 mm plain	K 85/14	B
	30 mm millgrain	K 85/9	B
<u>2520</u>	SETTINGS		
	8x6 mm millgrain	K 84/13	B
	8x6mm millgrain	AK 84/13	B with tunnel on the backside for SEWING
	10x8 mm millgrain	K 84/14	B
	10x8mm millgrain	AK 84/14	B with tunnel on the backside for SEWING
	14x10 mm millgrain	K 84/1	B
	14x10mm millgrain	AK 84/1	B with tunnel on the backside for SEWING
	20x14mm plain	K 84/16	B

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
<u>2585</u>			
		SETTINGS - 4 CLAWS	
		8x6mm	K 9/23
		10x8mm	K 9/24
		14x10mm	K 9/25
			B+L AK 9/23 / L 4 holes - 2 holes each side
			B+L AK 9/24 / L 4 holes - 2 holes each side
			B+L AK 9/25 / L 4 holes - 2 holes each side
<u>2709</u>		SETTINGS - 4 CLAWS	
			13x8mm
			K 15/9 ONLY closed back
			B
<u>2711</u>		SETTINGS	MILLGRAIN
		6 mm millgrain	K 86/7
			B
<u>2796/4</u>		SETTINGS	MILLGRAIN
		14x7 mm millgrain	K 83/44
			B
<u>2893/4</u>		SETTINGS	MILLGRAIN
		10 mm millgrain	K 86/17
			B
<u>3700</u>		SETTINGS for SOLDERING	SEW-ON
Rosette	12 mm	K 90/37	B AK 90/37 / B 4 holes - 2 holes each side
			
<u>3700</u>		CUP-CHAINS	minimum
Rosette	12mm	KK 9677/1/68	<u>10 m</u> Standard approx. 68 settings p. m.
<u>4100/4110/2/4128/4129/1/4130/2/4140</u>			
		SETTINGS - 4 CLAWS	SEW-ON
		6x4mm	K 7/1
		7x5mm	K 7/2
		8x6mm	K 7/3
		10x8mm	K 7/4
		12x8mm	K 7/5
		12x10mm	K 7/6
		14x10mm	K 7/7
			B+L AK 7/1 / L 2 holes - 1 hole each side
			B+L AK 7/2 / L 2 holes - 1 hole each side
			B+L AK 7/3 / L 4 holes - 2 holes each side
			B+L AK 7/4 / L 4 holes - 2 holes each side
			B+L AK 7/5 / L 4 holes - 2 holes each side
			B+L AK 7/6 / L 4 holes - 2 holes each side
			B+L AK 7/7 / L 4 holes - 2 holes each side
<u>4100/4110/2/4128/4129/1/4130/2/4140</u>		SETTINGS	FRENCH
		10x8mm	K 43/2
		12x10mm	K 43/3
		14x10mm	K 43/4
			B+L

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

4100



8x6 + 10x8 mm

STAMPINGS FOR GLUING

8x6 mm	P 07433	without ring
8x6 mm	P 07434	with 1 ring
10x8 mm	P 07435	without ring
10x8 mm	P 07436	with 1 ring
14x10 mm	P 07383	without ring
14x10 mm	P 07384	with 1 ring
18x13 mm	P 07385	without ring
18x13 mm	P 07386	with 1 ring

14x10 + 18x13 mm



4100/4110/2/4128/4129/1/4130/2/4140

CUP-CHAINS - 4 CLAWS

10x8mm	KS 323/102 /1+/3	<u>10 m</u>	Standard	approx. 102 settings p. m.
12x10mm	KS 324/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
14x10mm	KS 325/82 /1+/3	<u>10 m</u>	Standard	approx. 82 settings p. m.

4114



SETTINGS - 4 CLAWS

14x10mm	K 7/7	<u>B+L</u>	AK 7/7 / L	4 holes - 2 holes each side
18x13mm	K 7/9	<u>B+L</u>	AK 7/9 / L	4 holes - 2 holes each side

4114



SETTINGS

14x10 mm	K 43/4	<u>B+L</u>		
18x13 mm	K 43/6	<u>B+L</u>	AK 43/6 / L	4 holes - 2 holes each side

4114

CUP-CHAINS - 4 CLAWS

14x10mm	KS 325/82 /1+/3	<u>10 m</u>	Standard	approx. 82 settings p. m.
18x13mm	KS 327/72 /1+/3	<u>10 m</u>	Standard	approx. 72 settings p. m.

4116



SETTINGS - 4 CLAWS

14x10mm	K 7/30	<u>B+L</u>	AK 7/30 / L	4 holes - 2 holes each side
---------	--------	------------	-------------	-----------------------------

4120



SETTINGS - 4 CLAWS

6x4mm	K 7/1	<u>B+L</u>	AK 7/1 / L	2 holes - 1 hole each side
8x6mm	K 7/3	<u>B+L</u>	AK 7/3 / L	4 holes - 2 holes each side
14x10mm	K 7/7	<u>B+L</u>	AK 7/7 / L	4 holes - 2 holes each side
16x11mm	K 7/8	<u>B+L</u>	AK 7/8 / L	4 holes - 2 holes each side
18x13mm	K 7/9	<u>B+L</u>	AK 7/9 / L	4 holes - 2 holes each side
20x15mm	K 7/10	<u>B+L</u>	AK 7/10 / L	4 holes - 2 holes each side
25x18mm	K 7/11	<u>B+L</u>	AK 7/11 / L	4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.**

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
<u>4120</u>	SETTINGS	FRENCH	SEW-ON
	14x10mm	K 43/4	B+L
	18x13 mm	K 43/6	B+L AK 43/6 / L
	25x18 mm	K 43/8	B+L
			4 holes - 2 holes each side

4120 STAMPINGS - FRAMES FOR GLUING




14x10 mm	P 07995	without ring
14x10 mm	P 07996	with 1 ring
14x10 mm	P 07997	with 2 rings
18x13 mm	P 07881	without ring
18x13 mm	P 07882	with 1 ring
18x13 mm	P 07883	with 2 rings
25x18 mm	P 07905	without ring
25x18 mm	P 07906	with 1 ring
25x18 mm	P 07907	with 2 rings

4123 SETTINGS - 4 CLAWS



14x7 mm	K 8/3	B+L AK 8/3 L	4 holes - 2 holes each side
16x8 mm	K 8/4	B+L AK 8/4 L	4 holes - 2 holes each side
18x9 mm	K 8/5	B+L AK 8/5 L	4 holes - 2 holes each side

4127 SETTINGS - 4 CLAWS



30x22 mm	K 7/14	B+L AK 7/14 /L	4 holes - 2 holes each side
39x28 mm	K 7/40	B+L AK 7/40 /L	4 holes - 2 holes each side

4127 STAMPINGS - FRAMES FOR GLUING



30x22 mm	P 07975	without ring
30x22 mm	P 07976	with 1 ring
30x22 mm	P 07977	with 2 rings
39x28 mm	P 08016	without ring
39x28 mm	P 08017	with 1 ring
39x28 mm	P 08018	with 2 rings

4128 SETTINGS - 4 CLAWS



6x4mm	K 7/1	B+L AK 7/1 /L	2 holes - 1 hole each side
14x10mm	K 7/7	B+L AK 7/7 /L	4 holes - 2 holes each side

4137 STAMPINGS - FRAMES FOR GLUING



22x16 mm	P 07978/G	without ring
22x16 mm	P 07979/G	with 1 ring
22x16 mm	P 07980/G	with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<u>SWAROVSKI</u>		<u>SETTINGS</u>	<u>SEW-ON</u>
<u>ARTICLE NO.</u>	<u>SIZE</u>	K /	AK /
<u>4139</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>
		14 mm/L open back K 2/19	L AK 2/19 / L 4 holes - 2 holes each side
		20 mm/L open back K 2/20	L AK 2/20 / L 4 holes - 2 holes each side
<u>4139</u>		<u>STAMPINGS - FRAMES FOR GLUING</u>	
		20 mm P 07942/G without ring	
		20 mm P 07943/G with 1 ring	
		20 mm P 07944/G with 2 rings	
<u>4161</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>
		15x5 mm K 9/31	B+L AK 9/31 / L 4 holes - 2 holes each side
		21x7 mm K 9/32	B+L AK 9/32 / L 4 holes - 2 holes each side
		27x9 mm K 9/33	B+L AK 9/33 L 4 holes - 2 holes each side
<u>4161</u>		<u>STAMPINGS - FRAMES FOR GLUING</u>	
		15x5 mm P 08001 without ring	
		15x5 mm P 08002 with 1 ring	
		15x5 mm P 08003 with 2 rings	
		21x7 mm P 07893 without ring	
		21x7 mm P 07894 with 1 ring	
		21x7 mm P 07895 with 2 rings	
<u>4161</u>		<u>STAMPINGS - FRAMES FOR GLUING</u>	
		27x9 mm P 07896 without ring	
		27x9 mm P 07897 with 1 ring	
		27x9 mm P 07898 with 2 rings	
<u>4161</u>		<u>CUP-CHAINS - 4 CLAWS</u>	<u>minimum</u>
		21x7mm KS 998/2/43	<u>10 m</u> Standard approx. 43 settings p. m.
<u>4196</u>		<u>STAMPINGS - FRAMES FOR GLUING</u>	
		23x20mm P 08037 without ring	
		23x20mm P 08038 with 1 ring	
		23x20mm P 08039 with 2 rings	
		<u>STAMPINGS - FRAMES FOR GLUING</u>	
		30x26mm P 08040 without ring	
		30x26mm P 08041 with 1 ring	
		30x26mm P 08042 with 2 rings	

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
<u>4200</u>		SETTINGS - 4 CLAWS	SEW-ON
<u>4200/2</u>			
	5x2,5mm	K 5/1	B AK 5/1 / B
	6x3mm	K 5/2	B+L AK 5/2 / L
	8x4mm	K 5/5	B+L AK 5/5 / L
	10x5mm	K 5/7	B+L AK 5/7 / L
	11x3mm	K 5/9	B AK 5/9 / B
	12x6mm	K 5/10	B+L AK 5/10 / L
	15x4mm	K 5/12	B AK 5/12 / B
	15x7mm	K 5/15	B+L AK 5/15 / L
	18x9mm	K 5/17	B+L AK 5/17 / L
	35x9,5mm	K 5/30	B+L AK 5/30 / L
	48x13mm	K 5/31	B+L AK 5/31 / L
			2 holes - 1 hole each side
			2 holes - 1 hole each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
<u>4200</u>		SETTINGS	FRENCH
<u>4200/2</u>			
	8x4mm	K 42/1	B+L
	10x5 mm	K 42/2	B+L
	15x7 mm	K 42/4	B+L
<u>4200</u>		SETTINGS - 4 CLAWS	with ring
<u>4200/2</u>			
	10x5mm	K 70/27	B+L
	11x3mm	K 70/28	B
	15x7mm	K 70/104	B+L
<u>4200</u>		STAMPINGS - FRAMES FOR GLUING	
<u>4200/2</u>			
	8x4mm	PA 07697	with 1 ring automatic production
	3 x 8x4mm + 1x SS24 for Swaro 1012/1028	P 07696	with 4 rings
<u>4200</u>		STAMPINGS - FRAMES FOR GLUING	
<u>4200/2</u>			
	10x5mm	P 07850	without ring
	10x5mm	P 07851	with 1 ring
	10x5mm	P 07852	with 2 rings
<u>4200</u>		STAMPINGS - FRAMES FOR GLUING	
<u>4200/2</u>			
	15x7mm	P 07843	without ring
	15x7mm	P 07844	with 1 ring
	15x7mm	P 07845	with 2 rings
<u>4200</u>			
	35x9,5mm	P 08031	without ring
	35x9,5mm	P 08032	with 1 ring
	35x9,5mm	P 08033	with 2 rings
	48x13mm	P 08034	without ring
	48x13mm	P 08035	with 1 ring
	48x13mm	P 08036	with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS FOR SOLDERING K / B closed back **K / L open back**

SETTINGS for SEW-ON AK / L open back

CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI **SETTINGS** **SEW-ON**

ARTICLE NO. **SIZE** **K /** **AK /**

4200 STAMPINGS FOR GLUING



STAMPINGS FOR GLUING

10x 5mm	P 07404	without ring
10x 5mm	P 07405	with 1 ring

4200 CUP-CHAINS - 4 CLAWS

minimum

10x5mm	KS 304/148 /1+/3	<u>10 m</u>	Standard	approx. 148 settings p. m.
15x7mm	KS 307/110 /1+/3	<u>10 m</u>	Standard	approx. 110 settings p. m.

4202/2 SETTINGS - 4 CLAWS



SEW-ON

15x7mm	K 5/15	B+L	<u>AK 5/15 / L</u>	4 holes - 2 holes each side
--------	--------	-----	--------------------	-----------------------------

4224 SETTINGS - 4 CLAWS

SEW-ON

10x8mm	K 7/4	B+L	<u>AK 7/4 / L</u>	4 holes - 2 holes each side
--------	-------	-----	-------------------	-----------------------------

4224 STAMPINGS - FRAMES FOR GLUING

14x11 mm	P 08088	without ring	available December 2012
14x11 mm	P 08089	with 1 ring	available December 2012
14x11 mm	P 08090	with 2 rings	available December 2012
23x18mm	P 08091	without ring	available December 2012
23x18mm	P 08092	with 1 ring	available December 2012
23x18mm	P 08093	with 2 rings	available December 2012


4227

32x17 mm

K 5/26

B+L AK 5/26 / L

4 holes - 2 holes each side



4227 STAMPINGS - FRAMES FOR GLUING



32x17 mm	P 07899	without ring
32x17 mm	P 07900	with 1 ring
32x17 mm	P 07901	with 2 rings

4228/4231 SETTINGS - 4 CLAWS

SEW-ON

6x3mm	K 5/2	B+L	<u>AK 5/2 / L</u>	2 holes - 1 hole each side
8x4mm	K 5/5	B+L	<u>AK 5/5 / L</u>	4 holes - 2 holes each side
10x5mm	K 5/7	B+L	<u>AK 5/7 / L</u>	4 holes - 2 holes each side
15x7mm	K 5/15	B+L	<u>AK 5/15 / L</u>	4 holes - 2 holes each side
18x9mm	K 5/17	B+L	<u>AK 5/17 / L</u>	4 holes - 2 holes each side



K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
4228/4231	SETTINGS - 4 CLAWS		with ring
	15x7mm	K 70/104	B+L

**4228/4231****STAMPINGS - FRAMES FOR GLUING**

3 x 8x4 mm + P 07696 with 4 rings
 1x SS24 for Swaro 1012/1028



8x4 mm PA 07697

with 1 ring

automatic production


4228/4231**STAMPINGS - FRAMES FOR GLUING**

10x5mm	P 07850	without ring
10x5mm	P 07851	with 1 ring
10x5mm	P 07852	with 2 rings
15x7mm	P 07843	without ring
15x7mm	P 07844	with 1 ring
15x7mm	P 07845	with 2 rings
18x9 mm	P 07948	without ring
18x9 mm	P 07949	with 1 ring
18x9 mm	P 07950	with 2 rings

**4228/4231****CUP-CHAINS - 4 CLAWS****minimum**

10x5mm	KS 304/148 /1+/3	<u>10 m</u>	Standard
15x7mm	KS 307/110 /1+/3	<u>10 m</u>	Standard

approx. 148 settings p. m.
 approx. 105 settings p. m.

4300**SETTINGS - 4 CLAWS**

6x3.6 mm	K 3/1
8x4,8 mm	K 3/2
10x6 mm	K 3/3
13x7,8 mm	K 3/4

SEW-ON

B+L	AK 3/1 / L	2 holes - 1 hole each side
B+L	AK 3/2 / L	4 holes - 2 holes each side
B+L	AK 3/3 / L	4 holes - 2 holes each side
B+L	AK 3/4 / L	4 holes - 2 holes each side

4300**SETTINGS**

13x7,8 mm K 41/2

B+L

4300**SETTINGS FOR GLUING**

10x6mm K 3/12

with ring

B

4300**STAMPINGS FOR GLUING**

10x6 mm	P 07408
10x6 mm	P 07409

without ring
 with 1 ring

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references


23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<u>SWAROVSKI</u>		<u>SETTINGS</u>	<u>SEW-ON</u>
ARTICLE NO.	<u>SIZE</u>	K /	AK /
<u>4300</u>		<u>SETTINGS - 4 CLAWS</u>	<u>with ring</u>
		8x4,8mm 10x6mm 13x7,8mm	K 70/6 K 70/7 K 70/9
			B+L B+L B+L

<u>4300</u>	<u>CUP-CHAINS - 4 CLAWS</u>	<u>minimum</u>		
	10x6mm 13x7,8mm	KS 309/126 /1+3 KS 308/98 /1+3	10 m 10 m	Standard Standard
				approx. 126 settings p. m. approx. 98 settings p. m.

<u>4316</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>	
		14x10mm	K 4/2	B+L AK 4/2 / L

<u>4316</u>	<u>SETTINGS - 4 CLAWS</u>	<u>with ring</u>	
	14x10mm	K 70/109	B+L with 1 ring
	14x10 mm	K 70/110	B+L with 2 rings

<u>4320</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>	
		6x4 mm	K 4/13	B+L AK 4/13 / L
		8x6 mm	K 4/11	B+L AK 4/11 / L
		10x7 mm	K 4/1	B+L AK 4/1 / L
		13x8,5 mm	K 4/10	B+L AK 4/10 / L
		14x10 mm	K 4/2	B+L AK 4/2 / L
		15x11 mm	K 4/3	B+L AK 4/3 / L
		18x13 mm	K 4/4	B+L AK 4/4 / L
		20x15 mm	K 4/8	B+L AK 4/8 / L
		25x18 mm ***	K 4/12	B+L AK 4/12 / L

*** 25x18mm - no stone from Swarovski available

<u>4320</u>		<u>SETTINGS</u>	<u>FRENCH</u>	
		15x11 mm	K 41/3	B+L

<u>4320</u>		<u>SETTINGS - 4 CLAWS</u>	<u>with ring</u>	
		14x10mm	K 70/109	B+L with 1 ring
		14x10 mm	K 70/110	B+L with 2 rings
		18x13 mm	K 70/11	B+L with 1 ring

<u>4320</u>		<u>STAMPINGS - FRAMES FOR GLUING</u>	
		8x6 mm	P 07955
		8x6 mm	P 07956
		8x6 mm	P 07957

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.**

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

4320



STAMPINGS - FRAMES FOR GLUING

14x10mm	P 07719	without ring
14x10mm	P 07720	with 1 ring
14x10mm	P 07721	with 2 rings
18x13mm	P 07831	without ring
18x13mm	P 07832	with 1 ring
18x13mm	P 07833	with 2 rings

4320

CUP-CHAINS - 4 CLAWS

18x13mm	KS 311/71 /1+/3	minimum	
		<u>10 m</u>	Standard approx. 71 settings p. m.

4327

SETTINGS - 4 CLAWS

30x20mm	K 3/9	B+L	AK 3/9 / L	4 holes - 2 holes each side
40x27 mm	K 3/40	B+L	AK 3/40 /L	4 holes - 2 holes each side



4327

STAMPINGS - FRAMES FOR GLUING

30x20 mm	P 07902	without ring
30x20 mm	P 07903	with 1 ring
30x20 mm	P 07904	with 2 rings
40x27 mm	P 07970	without ring
40x27 mm	P 07971	with 1 ring



4327

STAMPINGS - FRAMES WITH 4 CLAWS


40x27 mm	P 07967	without ring
40x27 mm	P 07968	with 1 ring



4328

SETTINGS - 4 CLAWS

6x3.6 mm	K 3/1	B+L	AK 3/1 / L	2 holes - 1 hole each side
8x4,8 mm	K 3/2 *	B+L	AK 3/2 / L	4 holes - 2 holes each side
10x6 mm	K 3/3	B+L	AK 3/3 / L	4 holes - 2 holes each side
13x7,8 mm	K 3/4	B+L	AK 3/4 / L	4 holes - 2 holes each side



* please ask for sample before ordering

4328

SETTINGS

13x7,8 mm	K 41/2	FRENCH
		B+L



4328

SETTINGS FOR GLUING

10x6mm	K 3/12	with ring
		B



K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	

CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
-------------------	------------------	------------------	----------------

SWAROVSKI		SETTINGS	SEW-ON
------------------	--	-----------------	---------------

ARTICLE NO.	SIZE	K /	AK /
--------------------	-------------	------------	-------------

4328 STAMPINGS FOR GLUING



10x6 mm	P 07408	without ring
10x6 mm	P 07409	with 1 ring

4328 SETTINGS - 4 CLAWS



8x4,8mm	K 70/6 *	with ring
10x6mm	K 70/7	B+L * please ask for sample before ordering
13x7,8mm	K 70/9	B+L

4328 CUP-CHAINS - 4 CLAWS

10x6mm	KS 309/126 /1+/3	10 m	Standard	approx. 126 settings p. m.
13x7,8mm	KS 308/98 /1+/3	10 m	Standard	approx. 98 settings p. m.

4370 SETTINGS - 4 CLAWS



11x10 mm	K 23/29	SEW-ON
15,5x14 mm	K 23/30	B+L AK 23/29 / L
20x18 mm	K 23/31	B+L AK 23/30 / L

B+L	AK 23/29 / L	4 holes - 2 holes each side
B+L	AK 23/30 / L	4 holes - 2 holes each side
B+L	AK 23/31 / L	4 holes - 2 holes each side

4400 SETTINGS - 4 CLAWS



6 mm	K 12/2	SEW-ON
5 mm	K 12/6	B+L AK 12/2 / L
8 mm	K 12/3	B+L AK 12/6 / L

B+L	AK 12/2 / L	4 holes - 2 holes each side
B+L	AK 12/6 / L	2 holes - 1 hole each side
B+L	AK 12/3 / L	4 holes - 2 holes each side

4400 STAMPINGS FOR GLUING



6 mm	P 07602	without ring
6 mm	P 07603	with 1 ring
8 mm	P 07393	without ring
8 mm	P 07394	with 1 ring
10 mm	P 07395	without ring
10 mm	P 07396	with 1 ring


4401 SETTINGS - 4 CLAWS



4 mm	K 12/1	SEW-ON
3 mm	K 12/13	B+L AK 12/1 / L

B+L	AK 12/1 / L	4 holes - 1 hole each side
B+L	AK 12/13 / L	4 holes - 1 hole each side

4404 SETTINGS - 4 CLAWS



6 mm	K 12/2	SEW-ON
8 mm	K 12/3	B+L AK 12/2 / L

B+L	AK 12/2 / L	4 holes - 2 holes each side
B+L	AK 12/3 / L	4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.**

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
4410			
		SETTINGS - 4 CLAWS	SEW-ON
	10 mm	K 12/4	B+L AK 12/4 / L
	12 mm	K 12/5	B+L AK 12/5 L
			4 holes - 2 holes each side
			4 holes - 2 holes each side
4415			
		SETTINGS - 4 CLAWS	SEW-ON
	3 mm	K 12/13	B+L AK 12/13 / L
	4 mm	K 12/1	B+L AK 12/1 / L
			4 holes - 1 hole each side
			4 holes - 1 hole each side
4428 Xilion			
		SETTINGS - 4 CLAWS	SEW-ON
	3 mm	K 12/13	B+L AK 12/13 / L
	4 mm	K 12/1	B+L AK 12/1 / L
	5 mm	K 12/6	B+L AK 12/6 / L
	6 mm	K 12/2	B+L AK 12/2 / L
	8 mm	K 12/3	B+L AK 12/3 / L
			4 holes - 1 hole each side
			4 holes - 1 hole each side
			2 holes - 1 hole each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
4439			
		SETTINGS - 4 CLAWS	SEW-ON
	14 mm open back	K 12/14	L AK 12/14* / L
	20 mm open back	K 12/15	L AK 12/15* / L
	30 mm open back	K 12/16	L AK 12/16* / L
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
4439			
		STAMPINGS - FRAMES FOR GLUING	
	20 mm open back	P 07923/G	L without ring
	20 mm open back	P 07924/G	L with 1 ring
	20 mm open back	P 07925/G	L with 2 rings
4439			
		PENDANT - STAMPING	
	for 20 mm stone	PA 07692/G	plain
	for 20 mm stone	PA 07693/D	open center, with ring
			grained
			with ring
4440/2			
		SETTINGS - 4 CLAWS	SEW-ON
	4 mm	K 12/1	B+L AK 12/1 / L
	5 mm	K 12/6	B+L AK 12/6 / L
	6 mm	K 12/2	B+L AK 12/2 / L
	8 mm	K 12/3	B+L AK 12/3 / L
	10 mm	K 12/4	B+L AK 12/4 / L
	12 mm	K 12/5	B+L AK 12/5 L
			4 holes - 1 hole each side
			2 holes - 1 hole each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<u>SWAROVSKI</u>		<u>SETTINGS</u>	<u>SEW-ON</u>
ARTICLE NO.	<u>SIZE</u>	K /	AK /
<u>4447</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>
	4 mm	K 12/1	B+L AK 12/1 / L
	5 mm	K 12/6	B+L AK 12/6 / L
	6 mm	K 12/2	B+L AK 12/2 / L
	8 mm	K 12/3	B+L AK 12/3 / L
	10 mm	K 12/4	B+L AK 12/4 / L
	12 mm	K 12/5	B+L AK 12/5 / L
			4 holes - 1 hole each side
			2 holes - 1 hole each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
<u>4447</u>		<u>STAMPINGS - FRAMES FOR GLUING</u>	
	8 mm	P 07782	without ring
	8 mm	P 07783	with 1 ring
	8 mm	P 07784	with 2 rings
	12 mm	P 07914	without ring
	12 mm	P 07915	with 1 ring
	12 mm	P 07916	with 2 rings
<u>4461</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>
	8 mm	K 13/31	B+L AK 13/31 / L
	12 mm	K 13/24	B+L AK 13/24 / L
	16 mm	K 13/25	B+L AK 13/25 / L
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
<u>4461</u>		<u>STAMPINGS - FRAMES FOR GLUING</u>	
	8mm	P 08065	without ring
	8mm	P 08066	with 1 ring
	8mm	P 08067	with 2 rings
	12 mm	P 08010	without ring
	12 mm	P 08011	with 1 ring
	12 mm	P 08012	with 2 rings
	16 mm	P 08013	without ring
	16 mm	P 08014	with 1 ring
	16 mm	P 08015	with 2 rings
<u>4470</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>
	8 mm	K 13/31	B+L AK 13/31 / L
	10 mm	K 13/26	B+L AK 13/26 / L
	12 mm	K 13/24	B+L AK 13/24 / L
	14 mm	K 13/13	B+L AK 13/13 / L
	16 mm	K 13/25	B+L AK 13/25 / L
	18 mm	K 13/14	B+L AK 13/14 / L
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<u>SWAROVSKI</u>		<u>SETTINGS</u>	<u>SEW-ON</u>
ARTICLE NO.	<u>SIZE</u>	K /	AK /

4470**STAMPINGS - FRAMES FOR GLUING**

10 mm	P 07764	without ring
10 mm	P 07765	with 1 ring
10 mm	P 07766	with 2 rings
12 mm	P 07767	without ring
12 mm	P 07768	with 1 ring
12 mm	P 07769	with 2 rings

4470**CUP-CHAINS - 4 CLAWS**

8 mm	KS 990/102 /1+/3	minimum	
12 mm	KS 987/72 /1+/3	10 m	Standard approx.102 settings p. m.

10 m Standard approx. 102 settings p. m.

10 m Standard approx. 72 settings p. m.

4500**SETTINGS - 4 CLAWS****SEW-ON**

6x2 mm	K 10/4	B	
10x3 mm	K 10/6	B	AK 10/6 / B 4 holes - 2 holes each side

B AK 10/6 / B 4 holes - 2 holes each side

B AK 10/6 / B 4 holes - 2 holes each side

4501**SETTINGS - 4 CLAWS****SEW-ON**

4x2 mm	K 10/1	B	
5x2 mm	K 10/2	B	
5x2,5 mm	K 10/3	B	
6x2 mm	K 10/4	B	
7x3 mm	K 10/5	B	AK 10/5 / B 4 holes - 1 hole each side
10x5 mm	K 10/23	B+L	AK 10/23 / L 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

4502**SETTINGS - 4 CLAWS****SEW-ON**

10x5 mm	K 10/23	B+L	
		AK 10/23 / L	4 holes - 2 holes each side

B+L AK 10/23 / L 4 holes - 2 holes each side


B+L AK 10/23 / L 4 holes - 2 holes each side

4505**SETTINGS - 4 CLAWS****SEW-ON**

14x8mm	K 9/38	B+L	
		AK 9/38 / L	4 holes - 2 holes each side

B+L AK 9/38 / L 4 holes - 2 holes each side

B+L AK 9/38 / L 4 holes - 2 holes each side

4510**SETTINGS - 4 CLAWS****SEW-ON**

6x4mm	K 10/24	B+L	
10x8 mm	K 10/7	B+L	4 holes - 2 holes each side
14x10 mm	K 10/15	B+L	4 holes - 2 holes each side

B+L AK 10/24 / L 4 holes - 2 holes each side

B+L AK 10/7 / L 4 holes - 2 holes each side


B+L AK 10/15 / L 4 holes - 2 holes each side

4515/4521**SETTINGS - 4 CLAWS****SEW-ON**

4x2 mm	K 10/1	B	
		AK 10/1 / B	4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

B AK 10/1 / B 4 holes - 2 holes each side

4527**SETTINGS - 4 CLAWS****SEW-ON**

8x6 mm	K 10/18	B+L	
10x8 mm	K 10/7	B+L	4 holes - 2 holes each side
14x10 mm	K 10/15	B+L	4 holes - 2 holes each side
18x13 mm	K 10/16	B+L	4 holes - 2 holes each side

B+L AK 10/18 / L 4 holes - 2 holes each side

B+L AK 10/7 / L 4 holes - 2 holes each side

B+L AK 10/15 / L 4 holes - 2 holes each side

B+L AK 10/16 / L 4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

4527**STAMPINGS - FRAMES FOR GLUING**

14x10 mm	P 07722	without ring
14x10 mm	P 07723	with 1 ring
14x10 mm	P 07724	with 2 rings

4527**STAMPINGS FOR GLUING**

8x6 mm	P 07608	without ring
8x6 mm	P 07609	with 1 ring

4527**CUP-CHAINS - 4 CLAWS**

14x10mm	KS 991/82 /1+/3	<u>minimum</u>	
		<u>10 m</u>	Standard approx. 82 settings p. m.

4547**SETTINGS - 4 CLAWS**


15x5 mm	K 10/19	L + B	AK 10/19 L	4 holes - 2 holes each side
21x7 mm	K 10/20	L + B	AK 10/20 L	4 holes - 2 holes each side
24x8 mm	K 10/21	L + B	AK 10/21 L	4 holes - 2 holes each side
30x10 mm	K 10/22	L + B	AK 10/22 L	4 holes - 2 holes each side

4547**STAMPINGS - FRAMES FOR GLUING**

15x5 mm	P 07770	without ring
15x5 mm	P 07771	with 1 ring
15x5 mm	P 07772	with 2 rings
21x7 mm	P 07773	without ring
21x7 mm	P 07774	with 1 ring
21x7 mm	P 07775	with 2 rings

4547**STAMPINGS - FRAMES FOR GLUING**

24x8 mm	P 07834	without ring
24x8 mm	P 07835	with 1 ring
24x8 mm	P 07836	with 2 rings
30x10 mm	P 07847	without ring
30x10 mm	P 07848	with 1 ring
30x10 mm	P 07849	with 2 rings

4565**SETTINGS - 4 CLAWS**

14x10 mm	K 9/25	B+L AK 9/25 / L	4 holes - 2 holes each side
18x13 mm	K 9/28	B+L AK 9/28 / L	4 holes - 2 holes each side

4570**SETTINGS - 4 CLAWS**

8x6 mm	K 9/23	B+L AK 9/23 / L	4 holes - 2 holes each side
10x8 mm	K 9/24	B+L AK 9/24 / L	4 holes - 2 holes each side
14x10 mm	K 9/25	B+L AK 9/25 / L	4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
4570	SETTINGS	FRENCH	
		8x6 mm 10x8 mm 14x10 mm 25x18 mm	K 44/1 K 44/3 K 44/5 K 44/9
			B+L B+L B+L AK 44/5 / L B+L
			4 holes - 2 holes each side

4581	SETTINGS - 4 CLAWS	SEW-ON
	24x16 mm	K 9/37



4583 4583 - please ask for samples before ordering!

4581/4582/4583/4584



STAMPINGS - FRAMES FOR GLUING

24x16 mm	P 07926	without ring
24x16 mm	P 07927	with 1 ring
24x16 mm	P 07928	with 2 rings

4600



SETTINGS - 4 CLAWS

6x4 mm	K 9/1
8x4 mm	K 9/3
8x6 mm	K 9/4
10x8 mm	K 9/6
12x10 mm	K 9/9
16x11 mm	K 9/12

SEW-ON

B+L AK 9/1 / L	2 holes - 1 hole each side
B+L AK 9/3 / L	4 holes - 2 holes each side
B+L AK 9/4 / L	4 holes - 2 holes each side
B+L AK 9/6 / L	4 holes - 2 holes each side
B+L AK 9/9 / L	4 holes - 2 holes each side
B+L AK 9/12 / L	4 holes - 2 holes each side

4600



SETTINGS

8x6 mm	K 44/1
10x8 mm	K 44/3
12x10 mm	K 44/4

FRENCH

B+L
B+L
B+L

4600



SETTINGS - 4 CLAWS

12x10 mm	K 70/26
----------	---------

with ring

B+L

4600



STAMPINGS FOR GLUING

10x8 mm	P 07473	without ring
10x8 mm	P 07474	with 1 ring
18x13 mm	P 07468	without ring
18x13 mm	P 07469	with 1 ring

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back	
SETTINGS	for SEW-ON	AK / L open back		
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal	
SWAROVSKI		SETTINGS	SEW-ON	
ARTICLE NO.	SIZE	K /	AK /	
<u>4610/4611</u>		SETTINGS - 4 CLAWS	SEW-ON	
	14x10 mm 18x13 mm 20x15 mm 25x18 mm	K 9/11 K 9/13 K 9/16 K 9/20	B+L AK 9/11 / L B+L AK 9/13 / L B+L AK 9/16 / L B+L AK 9/20 / L	4 holes - 2 holes each side 4 holes - 2 holes each side 4 holes - 2 holes each side 4 holes - 2 holes each side
<u>4610/4611</u>		SETTINGS	FRENCH	
	14x10 mm 18x13 mm 25x18 mm	K 44/5 K 44/7 K 44/9	B+L AK 44/5 / L B+L AK 44/7 / L B+L	4 holes - 2 holes each side 4 holes - 2 holes each side
<u>4610</u>		STAMPINGS - FRAMES FOR GLUING		
	14x10 mm 14x10 mm 14x10 mm 18x13 mm 18x13 mm 18x13 mm	P 07884 P 07885 P 07886 P 07887 P 07888 P 07889	without ring with 1 ring with 2 rings without ring with 1 ring with 2 rings	
<u>4610</u>		CUP-CHAINS - 4 CLAWS	minimum	
	14x10mm	KS 317/82 /1+/3	10 m	Standard approx. 82 settings p. m.
<u>4616</u>		SETTINGS - 4 CLAWS	SEW-ON	
	14x10 mm	K 9/30	B+L AK 9/30 / L	4 holes - 2 holes each side
<u>4627</u>		SETTINGS - 4 CLAWS	SEW-ON	
	27x18,5mm 37x25,5 mm	K 9/22 K 9/40	B+L AK 9/22 / L B+L AK 9/40 / L	4 holes - 2 holes each side 4 holes - 2 holes each side
<u>4627</u>		STAMPINGS - FRAMES FOR GLUING		
	27x18,5 mm 27x18,5 mm 27x18,5 mm	P 07920 P 07921 P 07922	without ring with 1 ring with 2 rings	

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS FOR SOLDERING K / B closed back K / L open back

SETTINGS for SEW-ON AK / L open back

CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI SETTINGS SEW-ON


ARTICLE NO. SIZE K / AK /

4650 OPEN FRAMES - 4 CLAWS



8 mm	K 13/10	L	open back
14 mm	K 13/2	L	open back
18 mm	K 13/3	L	open back

4665 SETTINGS - 4 CLAWS



		SETTINGS - 4 CLAWS	SEW-ON
14 mm	K 13/9	B+L	AK 13/9 / L
18 mm	K 13/11	B+L	AK 13/11 / L

4 holes - 2 holes each side

4671 SETTINGS - 4 CLAWS



8 mm	K 13/16	B+L	AK 13/16 / L
10 mm	K 13/15	B+L	AK 13/15 / L

4 holes - 2 holes each side

4675 SETTINGS - 4 CLAWS

23 mm	K 13/12	B+L	AK 13/12 / L
-------	---------	-----	--------------

4 holes - 2 holes each side



4675 STAMPINGS - FRAMES FOR GLUING




23 mm	P 07917	without ring
23 mm	P 07918	with 1 ring
23 mm	P 07919	with 2 rings

4675 OPEN FRAMES - 4 CLAWS



23 mm	K 13/4	L	open back
-------	--------	---	-----------

4676 SETTINGS - 4 CLAWS



14 mm	K 13/30	B+L	AK 13/30 / L
-------	---------	-----	--------------

4 holes - 2 holes each side

4700 SETTINGS - 4 CLAWS



6 x 3,5mm	K 14/1	B+L	SEW-ON
-----------	--------	-----	---------------

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<u>SWAROVSKI</u>		<u>SETTINGS</u>	<u>SEW-ON</u>
ARTICLE NO.	<u>SIZE</u>	K /	AK /
<u>4710</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>
		8,2x5,5 mm 12x8 mm	K 15/2 K 15/8
			B+L AK 15/2 / L B+L AK 15/8 / L
			2 holes - 1 hole each side 4 holes - 2 holes each side
			
<u>4712</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>
		10x5 mm / left 10x5 mm / right 14x7 mm / left 14x7 mm / right	K 17/5 K 17/6 K 17/7 K 17/8
			B+L AK 17/5 / L B+L AK 17/6 / L B+L AK 17/7 / L B+L AK 17/8 / L
			4 holes - 2 holes each side 4 holes - 2 holes each side 4 holes - 2 holes each side 4 holes - 2 holes each side
			
<u>4714</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>
		14x7 mm 10x5 mm	K 23/17 K 23/20
			B+L AK 23/17 / L B+L AK 23/20 / L
			4 holes - 2 holes each side 4 holes - 2 holes each side
			
<u>4716</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>
		10x8,5 mm	K 22/7
			B+L AK 22/7 L
			4 holes - 2 holes each side
			
<u>4717</u>		<u>STAMPINGS - FRAMES FOR GLUING</u>	
		15,5mm 15,5mm 15,5mm	P 08043 P 08044 P 08045
			without ring with 1 ring with 2 rings
		21,5mm 21,5mm 21,5mm	P 08046 P 08047 P 08048
			without ring with 1 ring with 2 rings
			
<u>4722</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>
		4 mm 6 mm 8 mm 10 mm	K 23/9 K 23/8 K 23/3 K 23/4
			B+L AK 23/9 L B+L AK 23/8 L B+L AK 23/3 L B+L AK 23/4 L
			2 holes - 1 hole each side 2 holes - 1 hole each side 4 holes - 2 holes each side 4 holes - 2 holes each side
			
<u>4722</u>		<u>STAMPINGS FOR GLUING</u>	
		4 mm 6 mm 8 mm	P 07224 P 07225 P 07226
			without ring without ring without ring
			
<u>4723</u>		<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>
		17 mm	K 23/13
			B+L AK 23/13 L
			4 holes - 2 holes each side
			

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
4727	SETTINGS - 4 CLAWS	23 mm	K 23/10
			B+L AK 23/10 / L
			4 holes - 2 holes each side
4728	SETTINGS - 4 CLAWS		SEW-ON
		8x6 mm	K 22/3
		10x7,5 mm	K 22/4
		14x10,5 mm	K 22/5
		16x12 mm	K 22/6
			B+L AK 22/3 / L
			4 holes - 2 holes each side
			B+L AK 22/4 / L
			4 holes - 2 holes each side
			B+L AK 22/5 / L
			4 holes - 2 holes each side
			B+L AK 22/6 / L
			4 holes - 2 holes each side
4729	SETTINGS - 4 CLAWS	8 mm	K 23/15
			B+L AK 23/15 / L
			4 holes - 2 holes each side
4730	SETTINGS - 6 CLAWS		SEW-ON
		6 mm	K 25/4
		8 mm	K 25/5
		10 mm	K 25/6
		12 mm	K 25/7
			B+L AK 25/4 / L
			4 holes - 2 holes each side
			B+L AK 25/5 / L
			4 holes - 2 holes each side
			B+L AK 25/6 / L
			4 holes - 2 holes each side
			B+L AK 25/7 / L
4739	SETTINGS - 4 CLAWS	14x11 mm	K 23/25
		20x16 mm	K 23/26
			B+L AK 23/25 / L
			4 holes - 2 holes each side
			B+L AK 23/26 / L
			4 holes - 2 holes each side
4739	CUP-CHAINS - 4 CLAWS	14x11mm	KS 1008/78 /3
			minimum
		10 m	Standard
			approx. 78 settings p. m.
a			
b			
4742/4743	SETTINGS - 4 CLAWS		SEW-ON
		12,2x9 mm / left	K 17/1a
		12,2x9 mm / right	K 17/1b
		15,2x11 mm / left	K 17/2a
		15,2x11 mm / right	K 17/2b
		18,6x13,5mm / left	K 17/3a
		18,6x13,5mm / right	K 17/3b
			B+L AK 17/1a / L
			4 holes - 2 holes each side
			B+L AK 17/1b / L
			4 holes - 2 holes each side
			B+L AK 17/2a / L
			4 holes - 2 holes each side
			B+L AK 17/2b / L
			4 holes - 2 holes each side
			B+L AK 17/3a / L
			4 holes - 2 holes each side
			B+L AK 17/3b / L
			4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.


SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
<u>SWAROVSKI</u>		<u>SETTINGS</u>	<u>SEW-ON</u>
ARTICLE NO.	<u>SIZE</u>	K /	AK /
4744		SETTINGS - 4 CLAWS	SEW-ON
			
	6 mm	K 24/8	B+L AK 24/8 / L
	10 mm	K 24/9	B+L AK 24/9 / L
			4 holes - 1 hole each side
			4 holes - 1 hole each side
		STAMPINGS - FRAMES FOR GLUING	
			
	10 mm	P 07990	without ring
	10 mm	P 07991	with 1 ring
4744		CUP-CHAINS - 4 CLAWS	minimum
	10 mm	KS 1007/83 /1	10 m Standard
	10 mm	KS 1007/77 /3	10 m Standard
			approx. 77 settings p. m.
			approx. 83 settings p. m.
4745		SETTINGS - 4 CLAWS	SEW-ON
			
	10 mm	K 24/1	B+L ÅK 24/1 / L
			4 holes - 1 hole each side
		or	
		SS 33/34 round for Swaro 1012/1028	
4745		CUP-CHAINS - 4 CLAWS	minimum
	10 mm	KS 876/84 /3	10 m Standard
			approx. 84 settings p. m.
		Attention: wire out of the middle, for necklace only	
4748		SETTINGS - 4 CLAWS	SEW-ON
	10mm	K 24/10	B+L AK 24/10 / L
			4 holes - 1 hole each side
4748		STAMPINGS - FRAMES FOR GLUING	
	10mm	P 08073	without ring
	10mm	P 08074	with 1 ring
4756 FLAT		SETTINGS - 4 CLAWS	SEW-ON
			
	19x11,5 mm	K 23/28	B+L AK 23/28 / L
	27x16mm	K 23/32	B AK 23/32 / B
	39x23,5mm	K 23/33	B AK 23/33 / B
			8 holes - 4 holes each side
			8 holes - 4 holes each side
			4 holes - 2 holes each side
4756		STAMPINGS - FRAMES FOR GLUING	
	19x11,5mm	P 07911	without ring
	19x11,5mm	P 07912	with 1 ring
	19x11,5mm	P 07913	with 2 rings
	27x16 mm	P 07878	without ring
	27x16 mm	P 07879	with 1 ring
	27x16 mm	P 07880	with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
4757		SETTINGS - 4 CLAWS	SEW-ON
	14x8,5 mm	K 23/27	B+L AK 23/27 / L 4 holes - 2 holes each side
	19x11,5 mm	K 23/28	B+L AK 23/28 / L 4 holes - 2 holes each side
4757		STAMPINGS - FRAMES FOR GLUING	
	19x11,5 mm	P 07874	without ring
	19x11,5 mm	P 07875	with 1 ring
	19x11,5mm	P 07876	with 2 rings
4759		SETTINGS - 4 CLAWS	SEW-ON
	28x24 mm	K 23/34	B AK 23/34 /B 8 holes - 4 holes each side
4759		STAMPINGS - FRAMES FOR GLUING	
	28x24 mm	P 07992	without ring
	28x24 mm	P 07993	with 1 ring
	28x24 mm	P 07994	with 2 rings
4760		SETTINGS - 4 CLAWS	SEW-ON
	14x8mm	K 23/39	B+L AK 23/39 / L 4 holes - 2 holes each side
	18x10,6mm	K 23/40	B+L AK 23/40 / L 4 holes - 2 holes each side
4787		SETTINGS - 4 CLAWS	SEW-ON
	19x13 mm	K 23/35	B AK 23/35 /B 8 holes
4790		SETTINGS - 4 CLAWS	SEW-ON
	18x7,5mm	K 23/37	B+L AK 23/37 / L 4 holes - 2 holes each side
	23x10mm	K 23/38	B+L AK 23/38 / L 4 holes - 2 holes each side
	32x13,5 mm	K 23/36	B+L AK 23/36 / L 4 holes - 2 holes each side
4790		STAMPINGS - FRAMES FOR GLUING	
	18x7,5mm	P 08028	without ring
	18x7,5mm	P 08029	with 1 ring
	18x7,5mm	P 08030	with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

4790**STAMPINGS - FRAMES FOR GLUING**

23x10mm	P 08025	without ring
23x10mm	P 08026	with 1 ring
23x10mm	P 08027	with 2 rings
32x13,5 mm	P 08019	without ring
32x13,5 mm	P 08020	with 1 ring
32x13,5 mm	P 08021	with 2 rings

4795**SETTINGS - 4 CLAWS**

19x14,4mm	**	K 7/10 - 20x15mm	B+L	AK 7/10 / L	4 holes - 2 holes each side
28x21mm	**	K 7/12 - 30x22mm	B+L	AK 7/12 / L	4 holes - 2 holes each side

**** please ask for samples before ordering !!****4800****SETTINGS - 4 CLAWS**

5,5x5 mm	K 16/13
6,6x6 mm	K 16/14
8,8x8 mm	K 16/1
10x9 mm	K 16/2
11x10 mm	K 16/16
15,4x14 mm	K 16/17
18,5x17 mm	K 16/18

SEW-ON

B+L	AK 16/13 / L	2 holes - 1 hole each side
B+L	AK 16/14 / L	4 holes - 2 holes each side
B+L	AK 16/1 / L	4 holes - 2 holes each side
B+L	AK 16/2 / L	4 holes - 2 holes each side
B+L	AK 16/16 / L	4 holes - 2 holes each side
B+L	AK 16/17 / L	4 holes - 2 holes each side
B+L	AK 16/18 / L	4 holes - 2 holes each side

4800**SETTINGS - 4 CLAWS**

10x9 mm	K 70/15
---------	---------

with ring

B+L

4800**STAMPINGS - FRAMES FOR GLUING**

8,8x8 mm	P 07746	without ring
8,8x8 mm	P 07747	with 1 ring
8,8x8 mm	P 07748	with 2 rings
11x10 mm	P 07743	without ring
11x10 mm	P 07744	with 1 ring
11x10 mm	P 07745	with 2 rings

4800**STAMPINGS - FRAMES FOR GLUING**

15,4x14mm	P 07890	without ring
15,4x14mm	P 07891	with 1 ring
15,4x14mm	P 07892	with 2 rings

4800**STAMPINGS FOR GLUING**




8,8x8 mm	P 07389	without ring
8,8x8 mm	P 07390	with 1 ring
11x10 mm	P 07391	without ring
11x10 mm	P 07392	with 1 ring

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
4803/4805		SETTINGS - 4 CLAWS	SEW-ON
	9x6 mm / right	K 18/1	B+L AK 18/1 / L
	9x6 mm / left	K 18/2	B+L AK 18/2 / L
	12x8 mm / right	K 18/3	B+L AK 18/3 / L
	12x8 mm / left	K 18/4	B+L AK 18/4 / L
	15x10 mm / right	K 18/5	B+L AK 18/5 / L
	15x10 mm / left	K 18/6	B+L AK 18/6 / L
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
4817		SETTINGS - 4 CLAWS	SEW-ON
	15,4x14 mm	K 16/17	B+L AK 16/17 / L
			4 holes - 2 holes each side
4818		STAMPINGS FOR GLUING	
	10,3x10 mm	P 07439	without ring
	10,3x10 mm	P 07440	with ring
4819		SETTINGS - 4 CLAWS	SEW-ON
	15x11 mm	K 23/24	B+L
4822		SETTINGS - 4 CLAWS	SEW-ON
	14x11 mm	K 16/19	B+L AK 16/19 / L
			4 holes - 2 holes each side
4827		SETTINGS - 4 CLAWS	SEW-ON
	28 mm	K 16/12	B+L AK 16/12 / L
			4 holes - 2 holes each side
4831		SETTINGS - 4 CLAWS	SEW-ON
	5,5x5 mm	K 16/13	B+L AK 16/13 / L
	6,6x6 mm	K 16/14	B+L AK 16/14 / L
	8,8x8 mm	K 16/1	B+L AK 16/1 / L
	11x10 mm	K 16/16	B+L AK 16/16 / L
			2 holes - 1 hole each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

4840



SETTINGS

	MILLGRAIN
4 mm	K 85/1
6 mm	K 85/2
8 mm	K 85/3
10 mm	K 85/4
12 mm	K 85/5
14 mm	K 85/6

4841



SETTINGS

	MILLGRAIN
4 mm	K 86/19
6 mm	K 86/7
8 mm	K 86/8
10 mm	K 86/9

SETTINGS

MILLGRAIN

4842 / 4mm

6 mm	K 86/7
8 mm	K 86/8

B please ask for samples before ordering

4842 / 6mm

B please ask for samples before ordering



SETTINGS - 4 CLAWS



8 mm	K 12/3
10 mm	K 12/4

SEW-ON

B+L	AK 12/3 / L	4 holes - 2 holes each side
B+L	AK 12/4 / L	4 holes - 2 holes each side

4854



SETTINGS

	MILLGRAIN
6 mm	K 85/2
8 mm	K 85/3
10 mm	K 85/4


PLAIN

4854

SETTINGS

MILLGRAIN

4866



STONE SIZE

SETTING

<u>STONE SIZE</u>	<u>SIZE</u>	<u>MILLGRAIN</u>
6 mm	5 mm	K 80/3
8 mm	6 mm	K 80/4
14 mm	12 mm	K 80/10

4869



STONE SIZE

SETTING

<u>STONE SIZE</u>	<u>SIZE</u>	<u>MILLGRAIN</u>
4 mm	3 mm	K 80/1
6 mm	5 mm	K 80/3
8 mm	6 mm	K 80/4
10 mm	8 mm	K 80/6
12 mm	10 mm	K 80/8
14 mm	12 mm	K 80/10

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of SWAROVSKI-Number and corresponding JOSEF BERGS references

23.10.2012

SETTINGS FOR SOLDERING K / B closed back K / L open back

SETTINGS for SEW-ON AK / L open back

CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI SETTINGS SEW-ON

ARTICLE NO. SIZE K / AK /

4884 SETTINGS - 4 CLAWS SEW-ON



5,5x5 mm K 16/13

B+L AK 16/13 / L 2 holes - 1 hole each side

6,6x6 mm K 16/14

B+L AK 16/14 / L 4 holes - 2 holes each side

8,8x8 mm K 16/1

B+L AK 16/1 / L 4 holes - 2 holes each side

11x10 mm K 16/16

B+L AK 16/16 / L 4 holes - 2 holes each side

15,4x14 mm K 16/17

B+L AK 16/17 / L 4 holes - 2 holes each side

4889

LETTERS FOR GLUING

Stamping A - Z

8 mm P 07200

without ring

8 mm P 07201

with 1 ring



4916

SETTINGS - 4 CLAWS

SEW-ON

B+L AK 16/30 / L 4 holes - 2 holes each side



14 mm K 16/30

5817

SETTINGS

MILLGRAIN

PLAIN

**please
try
samples
before
ordering**



6 mm K 80/71

B

8 mm K 80/24

B

10 mm K 80/25

B

12 mm K 80/26

K 80/40

14mm K 80/34

B

16 mm K 80/35

B

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

**AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.**



25.06.2009

SEW-ON Settings for SWAROVSKI stones AK / -

**Settings for SEW-ON 4 holes = 2 holes each side
hole diameter 1,2 mm - 1,5 mm**



all prices according to our price-list AK / -

SEW-ON settings for rubber straps and other

**Settings for SEW-ON 4-holes = 2 holes each side
hole diameter 2,0 mm**



Minimum diameter of setting: SS39 and 10 mm

SEW-ON settings for rubber straps and other

hole diameter 2,0 mm

4 holes = 2 holes each side

open back / L o r closed back / B

minimum diameter of setting SS 39 and 10 mm



each minimum 500 pieces

till diameter 20 mm

from 20 mm diameter on

minimum 250 pieces

SEW-ON settings for rubber straps and other

AK 1/15/2 mm



hole diameter 2,0 mm
4 holes = 2 holes each side

AK 1/18/2 mm



open back /L or
closed back /B

AK 1/19/2 mm



each minimum 1000 pieces

AK 7/7/2 mm



minimum diameter of
setting: SS39 and 10 mm

AK 9/11/2 mm



AK 13/24/2 mm



AK 43/6/2 mm



AK 44/7/2 mm





Settings for Soldering

**K / raw L / open back
 B / closed back**

Settings for SEW-ON

**AK / raw L / open back
 B / closed back**
requires minimum

**– galvanized SEW-ON
settings on special offer -**

Settings for Soldering K /

Settings for SEW-ON AK /

B = closed back

L = open back

L = open back

B = closed back

(minimum quantities apply)

K 1/1 B
PP 17



K 1/9
SS 18/19



K 1/15
SS 39



K 1/2 B
PP 23 / SS 11



AK 1/9 L
4-HOLES
SS 18/19



AK 1/15 L
4-HOLES
SS 39



K 1/4
PP 27 / SS 13



K 1/11
SS 25



K 1/16
SS 45



AK 1/4 L
4-HOLES
PP 27 / SS 13



AK 1/11 L
4-HOLES
SS 25



AK 1/16 L
4-HOLES
SS 45+10 MM



K 1/6
PP 29 / SS 14/15



K 1/13
SS 29/30



K 1/17
SS 47 + SS 48



AK 1/6 L
4-HOLES
PP 29 / SS 14/15



AK 1/13 L
4-HOLES
SS 29 / 30+ 6 MM



AK 1/17 L
4-HOLES
SS 47 + SS 48



K 1/7
PP 33 / SS 17



K 1/14
SS 34



K 1/18
SS 50



AK 1/7 L
4-HOLES
PP 33 / SS 17



AK 1/14 L
4-HOLES
SS 34 + 7 MM



AK 1/18 L
4-HOLES
SS 50



Settings for Soldering K /

Settings for SEW-ON AK /

B = closed back

L = open back

L = open back

B = closed back

(minimum quantities apply)

K 1/19
SS 59
low wall (4,3mm)
not for SWARO 1012



AK 1/19 L
4-HOLES
SS 59



K 1/20
SS 59
high wall (6,4mm)
for SWARO 1028
AK 1/20 L
4-Holes
for SWARO 1028



K 1/21 B
SS 21



K 1/22
SS 22



AK 1/51 L
SS 29/30
4-Holes



K 1/52 + AK

SS 48 with long prongs
for pearl/cabouchon



K 1/53 + AK
SS 31



K 1/55 L + AK
SS 47
high wall ca. 5,3mm



K 2/1
SS 47 + 11 mm



K 2/6
SS 37 + 8 mm



AK 2/1 L
4-HOLES
SS 47 + 11 mm



AK 2/6 L
4-HOLES
SS 37 + 8 mm



K 2/2
SS 58 + 14 mm



K 2/7
SS 45 + 10 mm



AK 2/2 L
4-HOLES
SS 58 + 14 mm



AK 2/7 L
4-HOLES
SS 45 + 10 mm



K 2/3
17 mm



K 2/8
SS 50 + 12 mm



K 2/4 L
23mm



AK 2/8 L
4-HOLES
SS 50 + 12 mm



K 2/5 L
27mm
Swaro 1201



Settings for Soldering K /

Settings for SEW-ON AK /

K 2/9
SS 65 + 16 mm



AK 2/9 L
4-HOLES
SS 65 + 16 mm



K 2/16 + AK
27 mm



K 2/10
SS 75 + 18 mm



AK 2/10 L
4-HOLES
SS 75 + 18 mm



K 2/17 + AK
23 mm



K 2/11 + AK
25 mm



K 2/13 + AK
20 mm
height of wall 6,6 mm



K 2/23 + AK
20 mm
height of wall 4,6 mm

B = closed back

L = open back

L = open back

B = closed back

(minimum quantities apply)

K 3/1 + AK
6x3,6 mm



K 3/2
8x4,8 mm



AK 3/2 L
4-HOLES
8x4,8



K 3/3
10x6 mm



AK 3/3 L
4-HOLES
10x6



K 3/4
13x7,8 mm



AK 3/4 L
4-HOLES
13x7,8



Setting and Sew-On Setting for Swarovski 1201 35mm



K 2/40 B+L for soldering
AK 2/40 L for sew-on

Frame for Swarovski 1201 35mm



P 07987
without ring



P 07988
with 1 ring



P 07989
with 2 rings

Settings + SEW-ON settings + pendants

for SWAROVSKI 4139 COSMIC RING

attention: stone can only be set after SEW - ON !



20 mm

BERGS K 2 / 20 / L open back

SEW - ON AK 2 / 20 / L open back 4-holes

PENDANT riveted with movable ring




KBK 2 / 22 / 1
with 1 movable ring



KBK 2 / 22 / 2
with 2 movable rings

Settings for Soldering K / Settings for SEW-ON AK /

B = closed back
L = open back
L = open back
B = closed back
(minimum quantities apply)



SETTINGS AND SEW-ON SETTINGS for Swarovski Stones minimum taking 250 pcs



K 3/9 B+L
AK 3/9 L 4holes
Swaro 4327 30x20



K 4/6 B+L
AK 4/6 L 4holes
32x20



K 16/12 B+L
AK 16/12 L 4holes
Swaro 4827 28mm



K 2/16 B+L
AK 2/16 L 4holes
Swaro 1201 27mm



K 5/26 B+L
AK 5/26 L 4holes
Swaro 4227 32x17



K 7/14 B+L
AK 7/14 L 4holes
attention: only for
Swaro 4127 30x22 mm



K 13/12 B+L
AK 13/12 L 4holes
Swaro 4675 23x23



K 9/22 L+B
AK 9/22 L 4holes
Swaro 4627
27x18,5



K 23/10 B+L
AK 23/10 L 4holes
Swaro 4727 23mm

Settings for Soldering K /

Settings for SEW-ON AK /

B = closed back – minimum 10000 pieces

K 5/8 B
10,2x2,6 mm



K 5/15
15x7 mm



K 5/26
32x17 mm



K 5/9 B
11x3 mm



AK 5/15 L
4-HOLES
15 x 7 mm



AK 5/9 B
4-HOLES
11X3



K 5/16 B
18x5 mm



AK 5/26 L
4-HOLES
32x17 mm



K 5/10
12x6 mm



AK 5/16
4-HOLES
18X5



AK 5/10 L
4-HOLES
12X6



K 5/17 B + AK
18x9 mm



K 5/11 B
13x3,5 mm



K 5/18 + AK
27x13,5 mm



K 6/1
16x9 mm



K 5/12 B
15x4 mm



K 5/24
13x8 mm



K 6/2
20x8 mm



AK 5/12 B
4-HOLES
15X4



Settings + Sew-on Settings

for SWAROVSKI 4200 Navette



Swaro 4200
35 x 9,5 mm



K 5/30 B+L
35 x 9,5 mm



AK 5/30 L 4-holes
35 x 9,5 mm

available NOW

K 5/31 B+L
48 x 13 mm



AK 5/31 L 4-holes
48 x 13 mm

Settings for Soldering K /

Settings for SEW-ON AK /

B = closed back

L = open back

L = open back

B = closed back

(minimum quantities apply)

K 7/1 + AK
6x4 mm



K 7/6
12x10 mm



K 7/10
20x15 mm



K 7/2
7x5 mm



AK 7/6 L
4-HOLES
12X10



K 7/11
25x18 mm



K 7/3
8x6 mm



AK 7/3 L
4-HOLES
8X6



K 7/7 + AK
14x10 mm



K 7/12
30x22 mm



K 7/4
10x8 mm



K 7/8 + AK
16x11 mm



K 7/13 + AK
40 x 30 mm



AK 7/4 L
4-HOLES
10X8



K 7/9
18x13 mm



K 7/14 + AK
attention: only for
SWARO 4127
30 x 22 mm



K 7/5 + AK
12x8 mm



AK 7/9 L
4-HOLES
18X13



K 7/30 + AK
14 x 10 mm



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back – minimum 10000 pieces

K 7/31 + AK
40x20 mm



K 7 / 40 L = open back
B = closed back

AK 7 / 40 L = open back
4 - holes

Swaro 4127 39 x 28 mm

K 8/1 + AK
12x6 mm

K 8/2 + AK
30x11 mm

K 8/3 + AK
14x7 mm

K 8/4 + AK
16x8 mm

K 8/5 + AK
18x9 mm

K 9/1 + AK
6x4 mm

K 9/2 + AK
7x5 mm

K 9/3 + AK
8x4 mm

K 9/4
8x6 mm

AK 9 / 4 L
4-HOLES
8X6

K 9/5 + AK
10x5 mm

K 9/6
10x8 mm

AK 9 / 6 L
4-HOLES
10X8



Settings for Soldering K /

Settings for SEW-ON AK /

B = closed back – minimum 10000 pieces

K 9/7 + AK
12x6 mm



AK 9/13 +K
4-Holes
18 x 13 mm
for SWARO 4600



B = closed back

L = open back

L = open back

K 9/8 + AK
12x8 mm



K 9/16 + AK
20x15 mm



K+AK 9/34 40x30mm

K 9/9
12x10 mm



AK 9/9 L
4-HOLES
12X10



AK 9/18 L +K
4-HOLES
18X13
with low wall



K 9/10 B
3x5 mm



K 9/20 + AK
25x18 mm




K+AK 9/35 42x22mm

K 9/11 + AK
14x10 mm



K 9/22 + AK
27x18,5 mm



K 9/12 + AK
16x11 mm



K 9/27 + AK
16 x 8 mm



K 9/40 B (closed back)
L (open back)
AK 9/40 L for sew-on
Swaro 4627 37x25,5mm

Settings for Soldering K / Settings for SEW-ON AK /

B = closed back

L = open back

L = open back

B = closed back

(minimum quantities apply)

K 9/23 + AK
8x6 mm



K 10/1 B
4x2 mm



K 9/24 B+L + AK
10x8 mm



K 10/2 B
5x2 mm



K 9/25 B+L + AK
14x10 mm



K 10/3 B
5x2,5 mm



K 9/27 B+L + AK
16x8 mm



K 10/4 B + AK
6x2 mm



K 9/28 B+L + AK
18x13 mm



K 10/5 B + AK
7x3 mm



K 9/30 B+L + AK
14x10 mm
low wall!



K 10/7 B+L + AK
10x8 mm



K 9/31 B+L + AK
15x5 mm



K 10/8 B+L + AK
12x6 mm



K 9/32 B+L + AK
21x7 mm



K 10/9 B+L + AK
16x4 mm



K 9/33 B+L + AK
27x9 mm



K 10/10 B+L + AK
16x8 mm



K 10/11 B + AK
20x5 mm



F A S H I O N N E W S

Settings – SEW-ON Settings – Cup-Chains for SWAROVSKI 4161

attention: stone can only be set after SEW-ON



15 x 5 mm BERGS K 9 / 31 L + B open + closed back

SEW-ON AK 9 / 31 L 4 holes open back



21 x 7 mm BERGS K 9 / 32 L + B open + closed back

SEW-ON AK 9 / 32 L 4 holes open back



27 x 9 mm BERGS K 9 / 33 L + B open + closed back

SEW-ON AK 9 / 33 L 4 holes open back



Settings + SEW-ON Settings

for SWAROVSKI 4581, 4582, 4584




K 9/37 B closed back
24x16 mm (4 claws)



SWARO
4581



K 9/37 L open back
24x16 mm (4 claws)



SWARO
4582



AK 9/37 / L open back
24x16 mm (4 claws)



SWARO
4584



SWAROVSKI 4583 not for
K 9/37 B+L / AK 9/37 / L
(Please ask for samples before ordering!)

Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back - minimum 10000 pieces

K 10/12 B+L + AK
30x22 mm



K 10/15 B+L + AK
14x10 mm



K 10/16 B+L + AK
18x13 mm



K 10/18 B+L + AK
8x6 mm



K 10/19 B+L + AK
15x5 mm



K 10/20 B+L + AK
21x7 mm



K 10/21 B+L + AK
24x8 mm



K 10/22 B+L + AK
30x10 mm



K 10/23 B+L + AK
10x5 mm



F A S H I O N N E W S

Settings – SEW-ON Settings - Chains – Necklaces

SWAROVSKI Art. 4547 15 x 5 mm



BERGS K 10/19 L = open back or B = closed back for soldering



BERGS AK 10/19 L = open back 2 x 2 holes for SEW-ON



SWAROVSKI Art. 4547 21 x 7 mm



BERGS K 10/20 L = open back or B = closed back for soldering



BERGS AK 10/20 L = open back 2 x 2 holes for SEW-ON



SWAROVSKI Art. 4547 24 x 8 mm



BERGS K 10/21 L = open back or B = closed back for soldering



BERGS AK 10/21 L = open back 2 x 2 holes for SEW-ON



SWAROVSKI Art. 4547 30 x 10 mm



BERGS K 10/22 L = open back or B = closed back for soldering



BERGS AK 10/22 L = open back 2 x 2 holes for SEW-ON



all settings also available as chain – spacer chain - etc.

settings also available with 1 rectangular hole each side 0,8 x 1,3 mm closed back

with each 1 hole on short side = / 2



with each 1 hole on vertical side for necklace = / 3



SETTINGS and SEW-ON SETTINGS

for SWAROVSKI stones

minimum taking 250 pcs

K 2/13 B+L
AK 2/13 /L 4 holes
Swaro 1122 20 mm



K 4/12 B+L
AK 4/12 /L 4 holes
25x18 mm



K 7/11 B+L
AK 7/11 /L 4 holes
Swaro 4120 25x18 mm



K 2/17 B+L
AK 2/17 /L 4 holes
23 mm



K 9/20 B+L
AK 9/20 /L 4 holes
Swaro 4627 25x18 mm



K 10/22 B+L
AK 10/22 /L 4 holes
Swaro 4547
30x10 mm



K 13/20 B+L
AK 13/20 /L 4 holes
23 mm



K 10/25 B+L
AK 10/25 /L 4 holes
30x12 mm



K 23/32 B
AK 23/32 /B 8 holes
Swaro FLAT 4756
27x16 mm



K 100/18 /B only
Crown setting
34x26 mm



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back - minimum 10000 pieces

K 10 / 23 + AK
10 x 5 mm



K 12/4 B+L + AK
10x10 mm



K 12/6 B+L + AK
5x5 mm



K 12/5 B+L + AK
12x12 mm



K 11/1 B+L
16x12 mm



K 12/14 L + AK
14x14 mm



K 12/1 B+L + AK
4x4 mm



K 12/15 L + AK
20x20 mm



K 12/2 B+L + AK
6x6 mm



K 12/3 B+L + AK
8x8 mm



K 12/16 L + AK
30x30 mm



F A S H I O N N E W S


Settings – SEW-ON Settings – Stampings for SWAROVSKI 4439

attention: stone can only be set after SEW-ON !



14 mm BERGS K 12 / 14 L open back

SEW-ON AK 12 / 14 L 4 holes open back



20 mm BERGS K 12 / 15 L open back


SEW-ON AK 12 / 15 L 4 holes open back



Pendant - stamping PA 07692 / G plain open center with ring
for 20 mm stone



Pendant - stamping PA 07693 / D grained with ring
for 20 mm stone



30 mm BERGS K 12 / 16 L open back

SEW-ON AK 12 / 16 L 4 holes open back

SETTINGS and SEW-ON SETTINGS for SWAROVSKI stones

minimum taking 100 pcs

K 12/16 /L only
AK 12/16 /L 4 holes
Swaro 4439 30x30 mm



K 9/34 B+L
AK 9/34 /L 4 holes
40x30 mm



K 7/13 B+L
AK 7/13 /L 4 holes
40x30 mm




K 9/35 B+L
AK 9/35 /L 4 holes
42x22 mm



K 10/12 B+L
AK 10/12 /L 4 holes
32x22 mm




K 44/9 B+L
French setting
Swaro 4570+4611
25x18 mm



K 23/33 /B only
AK 23/33 /B 8 holes
(4 holes each side)
39x23,5 mm
Swaro FLAT 4756



K 44/10 B+L
French setting
25x20 mm



K 100/19 /B only
Crown setting
40x30 mm



Settings + SEW-ON Settings

for SWAROVSKI 2483 + 2493

**20 mm
Swaro 2493**

Setting
4 claws



K 12/21
/B closed back

SEW-ON Setting
4 claws



Setting
plain



K 85/14
/B closed back

**25 mm
Swaro 2483**

Setting
4 claws



K 12/25
/B closed back

SEW-ON Setting
4 claws



K 12/25
/L open back



AK 12/25
/L open back
4 holes – 1 hole
each side

**30 mm
Swaro 2493**

Setting
4 claws



K 12/22
/B closed back

SEW-ON Setting
4 claws



AK 12/22
/B closed back
8 holes – 2 holes
each side

Setting
millgrain



K 85/9
/B closed back

Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back - minimum 10000 pieces

K 13/4 L
23mm
Swaro 4675



K 13/14 + AK
18x18 mm



K 13/9 + AK
14 mm



K 13/15 + AK
10 mm



K 13/20 + AK
23 mm

K 13/11 + AK
18 mm



K 13/16 + AK

8x8 mm



K 13/24
12 mm



K 13/12 + AK
23 mm



K 13/18
42,5 mm

K 13/25
16 mm



K 13/13 + AK
14x14 mm



AK 13/25 L
4-HOLES
16



Settings for Soldering K /

Settings for SEW-ON AK /

B = closed back

L = open back

L = open back

B = closed back

K 13 / 26 + AK
10 mm



K 15/2 + AK
8,2x5,5 mm



K 16/1
8,8x8 mm



K 13 / 30 + AK
14 x 14 mm



AK 16/1 L
4-HOLES
8,8x8



K 13 / 31 + AK
8 mm



K 15/4
20x12 mm



K 16/2 + AK
10x9 mm



K 14/1
6,3x5 mm



K 15/7
32x17 mm



K 16/3 + AK
12x11 mm



K 14/2
8,5x6 mm



K 15/8 + AK
12x8 mm



K 16/4 + AK
15x14 mm



K 14/3
12x8 mm



K 16/11 + AK
18,7x17 mm
low wall!



K 16/12 + AK
28 mm



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /


L = open back

B = closed back – minimum 10000 pieces

K 16/13 + AK
5,5x5 mm



K 17/1 + AK
12,2x9 mm




K 18/1 + AK
9x6 mm



K 16/14 + AK
6,6x6 mm



K 17/2 + AK
15,2x11 mm




K 18/2 + AK
9x6 mm



K 16/16 + AK
10x11 mm



K 17/3 + AK
18,6x13,5 mm



K 18/3 + AK
12x8 mm




K 16/17 + AK
15,4x14 mm



K 16/18 + AK
18,5x17 mm



K 17/4 + AK
22x16 mm



K 18/5 + AK
15x10 mm



K 16/19
14x11 mm



K 17/5 + K 17/6
10x5 mm + AK



K 18/6 + AK
15x10 mm



AK 16/19 L
4-HOLES
14x11



K 17/7 + K 17/8
14x7 mm + AK



K 18/7 B
24x8 mm



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back - minimum 10000 pieces

K 19/1
8x8 mm



K 22/1
10x5 mm



K 23/1
18 mm



K 19/2
10x10 mm



K 22/2
12x6 mm



K 23/2
20 mm



K 19/3
12x12 mm



K 22/3 + AK
8x6 mm



K 23/3
8 mm



K 22/4 + AK
10x7,5 mm



AK 23/3
2-HOLES
8 MM



K 20/1
10x7 mm



K 22/5 + AK
14x10,5 mm



K 23/4
10 mm



K 22/6 + AK
16x12 mm



K 21/2 B
12x8 mm



AK 23/4 L
4-HOLES
10



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back - minimum 10000 pieces

K 23/5
14 mm



AK 23/5 L
4-HOLES
14



K 23/11
39X39 MM



K 23/19 B



K 23/6
12 mm



K 23/12
12 MM



K 23/20
10X5 MM



AK 23/6 L
4-HOLES
12



AK 23/13
4-HOLES
17 MM



K 23/24
15X11 MM



K 23/8
6 mm



K 23/17
14X7 MM




K 23 / 30
15,5X14 MM



K 23/9
4 mm



K 23/18 B



K 23 / 31
20X18 MM



K 23/10
23 mm



SEW - ON Settings

**with tunnel on the back side for SEWING
Hand Production!!**

AK 85 / 4

10 mm B closed back millgrain



AK 83 / 7

18 x 13 mm B closed back millgrain



AK 80 / 15

16 mm B closed back millgrain



**minimum size 8 mm round and 10 x 8 mm other
minimum quantity 1000 pieces per article and size
surcharge EURO 10.00 per 100 pcs.
on regular setting price K /**

**other shapes and sizes possible minimum diameter 8 mm
surcharge on price of setting K /**

Settings + Sew-on Settings for SWAROVSKI 2520



K 84/13 B closed back, millgrain
8x6 mm



AK 84/13 B for sew-on with tunnels
8x6 mm



K 84/14 B closed back, millgrain
10x8 mm



AK 84/14 B for sew-on with tunnels
10x8 mm



K 84/1 B closed back, millgrain
14x10 mm



AK 84/1 B for sew-on with tunnels
14x10 mm



K 84/16 B closed back, plain
20x14 mm